

Skills Management 8.5.648

Firewall Requirements

Information contained herein is proprietary and confidential and cannot be disclosed or duplicated without the prior written consent of Genesys Telecommunications Laboratories, Inc.

Copyright © 2017 Genesys Telecommunications Laboratories, Inc. All rights reserved.

About Genesys

Genesys is the world's leading provider of customer service and contact software - with more than 4,000 customers in 80 countries. Drawing on its more than 20 years of customer service innovation and experience, Genesys is uniquely positioned to help companies bring their people, insights and customer channels together to effectively drive today's customer conversation. Genesys software directs more than 100 million interactions every day, maximizing the value of customer engagement and differentiating the experience by driving personalization and multi-channel customer service - and extending customer service across the enterprise to optimize processes and the performance of customer-facing employees. Go to www.genesys.com for more information.

Each product has its own documentation for online viewing at the Genesys Documentation website.

Notice

Although reasonable effort is made to ensure that the information in this document is complete and accurate at the time of release, Genesys Telecommunications Laboratories, Inc. cannot assume responsibility for any existing errors. Changes and/or corrections to the information contained in this document may be incorporated in future versions.

Your Responsibility for Your System's Security

You are responsible for the security of your system. Product administration to prevent unauthorized use is your responsibility. Your system administrator should read all documents provided with this product to fully understand the features available that reduce your risk of incurring charges for unlicensed use of Genesys products.

Trademarks

Genesys and the Genesys logo are registered trademarks of Genesys Telecommunications Laboratories, Inc. All other company names and logos may be trademarks or registered trademarks of their respective holders. © 2017 Genesys Telecommunications Laboratories, Inc. All rights reserved.

Technical Support from VARs

If you have purchased support from a value-added reseller (VAR), please contact the VAR for technical support.

Ordering and Licensing Information

Complete information on ordering and licensing Genesys products can be found in the Genesys Licensing Guide.

Released by: Genesys Telecommunications Laboratories, Inc. http://www.genesys.com/

Document Version: 85 skillsmanagement firewall req 06-2017 v8.5.642.00

_					
\mathbf{c}	^	n	4,	'n	40

1 Required Open Ports for Installation of Skills Management......4

1 Required Open Ports for Installation of Skills Management

The table below shows the ports that are need to be open for Skills Management to be installed and operate correctly. This assumes that all prerequisite and integrated software is installed on its standard ports. It includes details for all supported WFMs - you should choose your appropriate WFM from the list and ensure the correct ports are open to that.

Port/Port Range	From	То	Purpose	Notes
80 or 443	End user's machines	Skills Management Web Server	Allow HTTP traffic from user's browsers to the server	Port 443 if HTTPS is being used, Port 80 otherwise. If HTTPS is used a valid certificate will be required on the server.
1433	Web Server	Skills Management Database Server	Allow SQL traffic between Web and Database Servers	If SQL server is running on a different port, please adjust accordingly.
2383 or 2382	Web Server	Database Server	Allow SSAS traffice between Web and Database servers	Needs 2383 open (if default instance) or 2382 (if named instance).
135, 5000- 5020	Web Server	Skills Management Database Server	Allow RPC Traffic between Web and Database Servers so that Microsoft Distributed Transaction Co- ordinator (MSDTC) can run	RPC range can be configured more tightly if required - (see: https://support.microsoft.com/en-gb/kb/250367)
80	Web Server	WFM Server (IEX)	Allow Skills Management to access the NICE TV4 web services	This is the default port for the TV4/Smart Sync services. It may be configured differently in your environment.
80	Training Manager End user's machines	WFM Server (IEX)	Allow Training Manager to access the NICE TV4 Web services	This is the default port for the TV4/Smart Sync services. It may be configured differently in your environment.
80	Web Server	WFM Server (Teleopti)	Allow Skills Management to access the Teleopti web services	This is the default for the Teleopti SDK. It may be configured differently in your environment
80	Training Manager	WFM Server (Teleopti)	Allow Skills Management to	This is the default for the Teleopti SDK. It may be

	End user's		access the Teleopti	configured differently in	
	machines		web services	your environment	
7610	Web	Genesys Server	Allow Skills	This is the default Capture	
	Server	hosting the EWM	Management to	Point port. Your capture	
		Capture Point	access the EWM	point may be configured	
			Web Service Capture	differently.	
			Point		
5007	Training	WFM Server	Allow Skills	This is the default port. It	
	Manager	(Genesys)	Management to	may be configured	
	End user's		access the Genesys	differently in your	
	machines		WFM services	environment.	
5007	Web	WFM Server	Allow Skills	This is the default port. It	
	Server	(Genesys)	Management to	may be configured	
			access the Genesys	differently in your	
			WFM services	environment.	