



Reporting 7.6

Master Index

The information contained herein is proprietary and confidential and cannot be disclosed or duplicated without the prior written consent of Genesys Telecommunications Laboratories, Inc.

Copyright © 2002–2012 Genesys Telecommunications Laboratories, Inc. All rights reserved.

About Genesys

Genesys is the world's leading provider of customer service and contact center software—with more than 4,000 customers in 80 countries. Drawing on its more than 20 years of customer service innovation and experience, Genesys is uniquely positioned to help companies bring their people, insights and customer channels together to effectively drive today's customer conversation. Genesys software directs more than 100 million interactions every day, maximizing the value of customer engagement and differentiating the experience by driving personalization and multi-channel customer service—and extending customer service across the enterprise to optimize processes and the performance of customer-facing employees. Go to www.genesyslab.com for more information.

Each product has its own documentation for online viewing at the Genesys Technical Support website or on the Documentation Library DVD, which is available from Genesys upon request. For more information, contact your sales representative.

Notice

Although reasonable effort is made to ensure that the information in this document is complete and accurate at the time of release, Genesys Telecommunications Laboratories, Inc., cannot assume responsibility for any existing errors. Changes and/or corrections to the information contained in this document may be incorporated in future versions.

Your Responsibility for Your System's Security

You are responsible for the security of your system. Product administration to prevent unauthorized use is your responsibility. Your system administrator should read all documents provided with this product to fully understand the features available that reduce your risk of incurring charges for unlicensed use of Genesys products.

Trademarks

Genesys and the Genesys logo are registered trademarks of Genesys Telecommunications Laboratories, Inc. All other company names and logos may be trademarks or registered trademarks of their respective holders. © 2012 Genesys Telecommunications Laboratories, Inc. All rights reserved.

The Crystal monospace font is used by permission of Software Renovation Corporation, www.SoftwareRenovation.com.

Technical Support from VARs

If you have purchased support from a value-added reseller (VAR), please contact the VAR for technical support.

Technical Support from Genesys

If you have purchased support directly from Genesys, please contact [Genesys Technical Support](#). Before contacting technical support, please refer to the [Genesys Technical Support Guide](#) for complete contact information and procedures.

Ordering and Licensing Information

Complete information on ordering and licensing Genesys products can be found in the [Genesys Licensing Guide](#).

Released by

Genesys Telecommunications Laboratories, Inc. www.genesyslab.com

Document Version: 76rt_mindex_08-2012_v7.6.101.00



Master Index

This document provides a master index of the following documents:

- *Reporting 7.6 Deployment Guide (DEP)*
- *Reporting 7.6 Data Sourcer User's Guide (DS)*
- *Reporting 7.6 ETL Runtime User's Guide (ETLR)*
- *Reporting 7.5 CCPulse+ Administrator's Guide (CCPA)*
- *Reporting 7.6 Reference Manual (REF)*

The abbreviations in parentheses following each document title above are those used to preface the page numbers for which referenced material is found. Information about the `dropTransferredTables` runtime parameter, for example, can be found in the *Deployment Guide* on page 21, the *Data Sourcer User's Guide* on page 67, and the *ETL Runtime User's Guide* on pages 46 and 59.

`dropTransferredTables` runtime parameter DEP: 21, DS: 67, ETLR: 46, 59

You are directed to the remaining Reporting 7.6 documents, which consist of three online help files and four Physical Data Models (PDMs), for material pertaining specifically to those subjects. The online help files are not paginated; therefore, their key terms cannot be incorporated into this master index. The help files include:

- *Reporting 7.6 Data Modeling Assistant Help*
- *Reporting 7.6 ETL Assistant Help*
- *Reporting 7.5 CCPulse+ Help*

The four PDM documents are not indexed. Refer directly to the document for your RDBMS for information about Data Mart schema:

- *Reporting 7.6 Physical Data Model for an Oracle Data Mart*
- *Reporting 7.6 Physical Data Model for a Microsoft SQL Data Mart*
- *Reporting 7.6 Physical Data Model for a Sybase Data Mart*
- *Reporting 7.6 Physical Data Model for a DB2 Data Mart*

The *Genesys Combined Log Events Help* file and the *Genesys Migration Guide* also include some information about Reporting which is not reflected in this document.

A

accept-clients-in-backup
 configuration option DEP: 43

accounts
 for Data Sourcer DEP: 30
 for ETL Runtime DEP: 30

Action object properties
 Action CCPA: 57
 StartTime CCPA: 57
 type CCPA: 57

Action property CCPA: 57

ActionDelay object
 in threshold scripts CCPA: 64

actions
 ActivateWebBrowser CCPA: 80
 CCPulseNotifier in CCPA: 66
 CFGDbid object CCPA: 65
 CFGObjectID object CCPA: 65
 CFGTenantDbid object CCPA: 65
 CFGType object CCPA: 66
 color enumeration objects CCPA: 67
 configuration objects CCPA: 65
 example CCPA: 76
 ExecuteProcess CCPA: 78
 explanation of predefined actions CCPA: 76
 Hide CCPA: 76
 Hide object CCPA: 66
 PCSpeakerAudioAlert CCPA: 78
 ResetColor CCPA: 77
 ResetColor object CCPA: 66
 SendE-MailWithCDO CCPA: 79
 SetColor CCPA: 77
 SetColor object CCPA: 66
 Show CCPA: 77
 Show object CCPA: 66
 using with thresholds CCPA: 76
 WAVAudioAlert CCPA: 77

Actions property CCPA: 57

ActionsStorageFullPath
 configuration option CCPA: 22

activate-new-layouts
 configuration option DEP: 17, DS: 13, 21

ActivateWebBrowser action CCPA: 80

activating
 report layouts DEP: 20, DS: 17

adding
 collection units DEP: 125

administrative privileges
 for CCPulse+ DEP: 27
 for DMA DEP: 27

administrators
 setting up in Configuration Manager DEP: 114

agent group capacity
 calculation CCPA: 29
 performance CCPA: 29

agent login
 troubleshooting problems CCPA: 83

AgentGroupID property CCPA: 55

AgentID property CCPA: 54

AgentLoggedIn threshold CCPA: 71

AgentLoggedOut threshold CCPA: 71

agg log-level option ETLR: 55

agg runtime parameter ETLR: 40

agg_only mode REF: 16

aggOnly runtime parameter ETLR: 41

aggQuota runtime parameter ETLR: 41

aggregating data ETLR: 63

aggregation levels
 defined ETLR: 63

Aggregation module ETLR: 12, 63
 described ETLR: 63
 ETL Service Starter DEP: 22

aggregations
 calculating number of DEP: 36
 partial period ETLR: 64

Alarm Condition Wizard DS: 59, ETLR: 57

alarm conditions
 setting DS: 58

algorithms
 purge ETLR: 88
 tenant passwords ETLR: 79

alias log-level option ETLR: 55

all log option DS: 46, ETLR: 31

_all_log-level option ETLR: 55

architecture
 CCPulse+ DEP: 23
 Framework DEP: 12
 real-time reporting DEP: 23
 Reporting Services DEP: 13

assigning
 application priorities DEP: 94

audience DS: 6, ETLR: 6, CCPA: 7

audience, for document DEP: 8

auto-create-new-tenant-layouts
 configuration option DEP: 17, DS: 21

autorestart DEP: 109

B

backup
 Configuration Server DS: 62

backup data sourcer
 function DEP: 44

backup policy
 useful information by RDBMS type REF: 33

-backup_host command-line
 argument DEP: 99, 101, 102

-backup_port command-line
 argument DEP: 99, 101, 102

basic statistics
 icon CCPA: 51

in formulas CCPA: 52
 batch files
 run-agg_only.bat ETLR: 92
 run-createdb.bat. ETLR: 92
 run-purge.bat. ETLR: 92
 run-trans_and_agg.bat. ETLR: 92
 run-trans_once.bat ETLR: 92
 run-trans_only.bat. ETLR: 92
 startServer.bat ETLR: 93
 buffering log option. DS: 36, ETLR: 24

C

calculating
 Data Mart size DEP: 36
 number of aggregations DEP: 36
 number of collection units DEP: 38
 number of requests DEP: 32
 raw data size DEP: 36
 calendar weeks ETLR: 65
 CampaignActivated threshold CCPA: 72
 CampaignDeactivated threshold CCPA: 72
 cancel event. ETLR: 57
 Capacities property CCPA: 54, 55
 CurrentInteractions CCPA: 55
 MaxInteractions CCPA: 55
 MediaType CCPA: 55
 RoutableInteractions CCPA: 55
 capacity format
 display CCPA: 60
 predefined CCPA: 60
 user-defined CCPA: 60
 capturing
 agent-type statistics REF: 9
 routing statistics by skill REF: 9
 CCPulse+ DEP: 21, 22
 administrative privileges DEP: 27
 architecture DEP: 23
 installing silently CCPA: 15
 Internet Explorer required DEP: 27
 monitoring object status DEP: 22
 OCXs DEP: 27
 prerequisites DEP: 27
 server connections CCPA: 45
 uninstalling DEP: 122
 using composite metrics CCPA: 42
 CCPulse+ application objects
 creating DEP: 71
 upgrading DEP: 70
 CCPulse+ Overview CCPA: 11
 CCPulse+ performance
 historical reporting REF: 23
 real-time reporting REF: 22
 CCPulse+ status bar. CCPA: 46, 47
 CCPulse+ Wizard DEP: 47
 CCPulseNotifier
 predefined object CCPA: 66

CfgAppName runtime parameter ETLR: 41
 CfgAppPassword runtime parameter ETLR: 41
 CFGDbid object
 in action scripts CCPA: 65
 CFGObjectID object
 in action scripts CCPA: 65
 CFGTenantDbid object
 in action scripts CCPA: 65
 CFGType object
 in action scripts CCPA: 66
 CfgUser runtime parameter ETLR: 42
 CfgUserName runtime parameter. ETLR: 42
 CfgUserPassword runtime parameter ETLR: 42
 changing DS: 57
 Chapter Summaries
 defining DEP: 8
 check-point log option DS: 40, ETLR: 28
 Choose Destination Location DEP: 85, 88, 111
 chunk header DS: 65
 chunk IDs
 locating largest values REF: 35
 rolling forward REF: 36
 chunk write time. DEP: 124
 CHUNK_LOG table REF: 35
 chunkBufferQuota runtime parameter ETLR: 42
 chunk-composition-mode
 configuration option DS: 22
 chunk-file-format configuration option DS: 23
 chunkQuota runtime parameter ETLR: 42
 chunksAtOnce runtime parameter ETLR: 43
 CLASSPATH environment variable. DEP: 89
 collecting data DEP: 18, DS: 16
 collection units
 adding DEP: 125
 calculating number of. DEP: 38
 deactivating DEP: 128
 defined. DEP: 15, DS: 11
 for voice interactions DEP: 16
 removing DEP: 127
 collector section. DS: 20
 CollectorDefault time profile DEP: 18, 19, DS: 57
 colors
 RGB color codes CCPA: 67
 column names
 in templates. CCPA: 42
 linking objects using CCPA: 42
 command configuration option. ETLR: 18
 command log-level option ETLR: 55
 command-line arguments
 -backup_host. DEP: 99, 101, 102
 -backup_port DEP: 99, 101, 102
 common log options DS: 35–48, ETLR: 23–33
 all DS: 46, ETLR: 31
 buffering DS: 36, ETLR: 24
 check-point DS: 40, ETLR: 28
 compatible-output-priority DS: 42, ETLR: 30
 debug DS: 48, ETLR: 33
 default-filter-type. ETLR: 36

- expire DS: 38, ETLR: 26
- interaction. DS: 47, ETLR: 32
- keep-startup-file DS: 37, ETLR: 25
- <key name> ETLR: 37
- level-reassign- DS: 51
- level-reassign-disable DS: 51
- mandatory options DS: 35, ETLR: 23
- memory DS: 41, ETLR: 29
- memory-storage-size. DS: 41, ETLR: 29
- message_format DS: 39, ETLR: 27
- messagefile. DS: 38, ETLR: 26
- print-attributes DS: 40, ETLR: 28
- rebind-delay DS: 55
- segment. DS: 37, ETLR: 25
- spool DS: 41, ETLR: 29
- standard. DS: 47, ETLR: 32
- time_convert DS: 39, ETLR: 27
- time_format. DS: 40, ETLR: 28
- trace DS: 48, ETLR: 33
- verbose DS: 36, ETLR: 24
- x-conn-debug-all DS: 44
- x-conn-debug-api DS: 44
- x-conn-debug-dns. DS: 44
- x-conn-debug-security DS: 44
- x-conn-debug-select DS: 43
- x-conn-debug-timers DS: 43
- x-conn-debug-write DS: 43
- communication-alarm
 - runtime parameter ETLR: 43, 56
- compatible-output-priority
 - log option DS: 42, ETLR: 30
- composite metrics CCPA: 42
- conf runtime parameter ETLR: 43
- conf-check-interval configuration option. . . DS: 23
- ConfigServer Proxy DEP: 60, 100
- Configuration Layer DEP: 12, 23
- configuration objects
 - in action scripts CCPA: 65
- configuration options ETLR: 15, 76
 - <option name>. DS: 29
- accept-clients-in-backup. DEP: 43
- ActionsStorageFullPath CCPA: 22
- activate-new-layouts DEP: 17, DS: 21
- auto-create-new-tenant-layouts DEP: 17, DS: 21
- chunk-composition-mode DS: 22
- chunk-file-format DS: 23
- collector section DS: 20
- common log options . . . DS: 35–48, ETLR: 23–33
- conf-check-interval DS: 23
- create-sample-templates DS: 23
- CurrentStateEnable. CCPA: 28
- CurrentStateRefreshInterval CCPA: 33
- data-excess-high threshold DS: 23
- data-excess-low-threshold DS: 24
- data-flow-check-interval DS: 24
- data-flow-timeout DS: 25
- data-table-size DS: 25
- DelayBeforeRemoval. CCPA: 34
- DisableAgentCurrentState. CCPA: 28
- DisableCreateRemoveViews CCPA: 34
- DisableHideShowActionsOnGraph . . . CCPA: 34
- DisableRowColVisibilityChange . . . CCPA: 35
- DisableThresholdsDlg CCPA: 23
- DNLoggedOut CCPA: 27
- emergency-save-directory. DS: 26
- EnableAgentCapacity CCPA: 29
- EnableAgentCapacityStatus CCPA: 29
- EnableAgentGroupCapacity CCPA: 29
- EnabledDNAliases CCPA: 24
- ETL service starter section ETLR: 16
- ExtendedCurrentStatus CCPA: 32
- IgnoreNewObjectNotifications CCPA: 29
- local-options CCPA: 13
- management-port DS: 26
- mandatory options DS: 35, ETLR: 23
- max-chunk-size DS: 26
- MaxNumberOfAgents CCPA: 35
- max-write-attempts DS: 27
- max-write-reschedule-attempts DS: 27
- MediaTypes. CCPA: 32, 60
- new-object-delay DS: 27
- ODS-USER-SCHEMA DS: 29
- person-presentation-format DS: 28
- QueryStorageFullPath CCPA: 23
- receive-queue-size DS: 28
- SafeScriptMode CCPA: 30
- ShowAgentLoginID CCPA: 24
- ShowAgentSkills. CCPA: 24
- ShowDurationBeforeStatusName . . . CCPA: 26
- ShowStatusReasons CCPA: 24, 25
- sql-save-path. DS: 28
- StatProfileStorageFullPath CCPA: 23
- TemplatesStorageFullPath CCPA: 23
- ThresholdsStorageFullPath CCPA: 23
- trans_batch_mode DEP: 26
- UseStatServerVirtualGroups CCPA: 30
- verbose-request-statistics DS: 28
- WorkspaceAutoLoad CCPA: 31
- WorkspacesStorageFullPath CCPA: 23
- Configuration Server. DEP: 19
 - required version DEP: 25
- Configuration Tracking module . . . ETLR: 12, 73
- configuration wizards
 - predeployment prerequisites DEP: 25
- Configuration-Object Tracking module
 - ETL Service Starter. DEP: 22
- configuring
 - application objects DEP: 62, 65, 71
 - Data Sourcer to use a CSProxy DEP: 60
- connection failures
 - Configuration Server CCPA: 46
 - Data Mart CCPA: 48

Stat Server CCPA: 47
 connections
 Data Mart CCPA: 41
 Info Mart. CCPA: 44
 Contact Center Analyzer
 Reporting Wizard DEP: 47
 Contact Server Database. DEP: 15
 createdb runtime parameter ETLR: 43
 createdb.properties file . . . DEP: 91, 92, ETLR: 91
 create-sample-templates
 configuration option DS: 23
 create-sql log-level option ETLR: 55
 creating
 CCPulse+ application objects DEP: 71
 Data Sourcer application objects DEP: 57
 database accounts DEP: 30
 default report layouts. DS: 32
 filters REF: 10
 object groups. DEP: 125, 128
 Stat Server application objects. DEP: 72
 cumulative statistical categories . DEP: 19, DS: 17
 current status
 determining. CCPA: 53
 CurrentAgentTargetState statistic. CCPA: 60
 CurrentInteractions capacity item. CCPA: 55
 CurrentStateEnable
 configuration option. CCPA: 28
 CurrentStateRefreshInterval
 configuration option. CCPA: 33
 CurrentTargetState statistical category . CCPA: 60
 custom statistics CCPA: 53
 determining current status CCPA: 53
 formatting return values CCPA: 59
 icon. CCPA: 51
 customizing
 DeltaAvgTime CCPA: 39
 DeltaCntCalls CCPA: 39
 DeltaTotalTime. CCPA: 39
 FormatAgentInfo CCPA: 38
 GraphAxisFontSize. CCPA: 38
 GraphBkColor CCPA: 38
 GraphTileFontSize CCPA: 38
 GridFontSize. CCPA: 37
 HistoricalUpdateFrequency. CCPA: 39
 IntervalForCurrentUpdate. CCPA: 39
 NotifyEvery CCPA: 39
 Windows Registry settings CCPA: 37
 customizing icons CCPA: 27
 CustomStatistic section CCPA: 32

D

data aggregation ETLR: 63
 Data Collection Services DEP: 13, REF: 15
 components of. DEP: 15
 defined. DEP: 15, DS: 11
 distributed architecture. DEP: 38
 Data Mart. ETLR: 59
 calculating size of DEP: 35
 configuring DEP: 65
 distributed architecture. DEP: 38
 estimating size of DEP: 35
 initializing DEP: 91
 installing on Windows DEP: 87
 prerequisites DEP: 27
 tablespaces. DEP: 29
 uninstalling DEP: 120
 using with CCPulse+ CCPA: 41
 Data Mart connections. CCPA: 41
 Data Mart Services. DEP: 13, REF: 15
 Data Mart weeks ETLR: 66
 Data Modeling Assistant DEP: 15
 See DMA.
 Data Sourcer
 creating application objects DEP: 57
 database accounts for DEP: 30
 installing on UNIX. DEP: 86
 installing on Windows DEP: 84
 manually configuring DEP: 45
 prerequisites DEP: 26
 uninstalling DEP: 121
 upgrading application objects. DEP: 56
 data sourcer
 operating mode DEP: 44
 Data Sourcer application, modifying DS: 19
 Data Sourcer sections
 collector DS: 20
 Data Sourcer servers DS: 16
 Configuration Server DEP: 18, DS: 16
 DB Server. DEP: 18, DS: 13
 Stat Server DEP: 18, 19, DS: 17
 database access point (DAP) DS: 29
 Database Access Points DEP: 17, 58, 65, 96
 database schema. REF: 34
 database snapshots REF: 35
 databases
 capacity requirements DEP: 28
 creating accounts DEP: 30
 DB2 preparation DEP: 30
 initialization parameters DEP: 30
 maintaining consistency REF: 34
 Microsoft SQL preparation DEP: 31
 names DEP: 30
 number of threads. DEP: 29
 preparations DEP: 28
 restoration points REF: 35
 supported DEP: 28
 data-excess-alarm
 runtime parameter ETLR: 44, 56
 data-excess-check-interval
 runtime parameter ETLR: 44
 data-excess-high-threshold
 configuration option DS: 23

data-excess-low-threshold
 configuration option DS: 24
 data-excess-threshold
 runtime parameter ETLR: 44
 data-flow-alarm runtime parameter . . ETLR: 45, 56
 data-flow-check-interval
 configuration option DS: 24
 data-flow-check-interval
 runtime parameter ETLR: 45
 data-flow-timeout configuration option . . . DS: 25
 data-flow-timeout runtime parameter . . ETLR: 45
 data-table-size configuration option . . . DS: 25
 daylight saving time REF: 25
 DB Server DEP: 15, 20
 troubleshooting connection problems
 with CCPA: 85
 DB2
 default port number DEP: 93
 preparations DEP: 30
 dba_pass runtime parameter ETLR: 45
 dba_user runtime parameter ETLR: 45
 deactivating
 collection units DEP: 128
 report layouts DEP: 126
 deactivating report layouts DS: 17
 deadlockThreshold runtime parameter . ETLR: 46
 debug log option DS: 48, ETLR: 33
 debug log-level option ETLR: 55
 default time profile DS: 57
 default-filter-type log option ETLR: 36
 defaults
 ETL Runtime default processes DEP: 93
 for purging data ETLR: 88
 defining
 purge rules DEP: 126
 DelayBeforeRemoval
 configuration option CCPA: 34
 deleting
 the emergency save files DS: 67
 DeltaAvgTime
 customizing in Registry CCPA: 39
 DeltaCntCalls
 customizing in Registry CCPA: 39
 DeltaTotalTime
 customizing in Registry CCPA: 39
 detect event ETLR: 57
 determining
 your DB2 port DEP: 93
 DisableAgentCurrentState
 configuration option CCPA: 28
 DisableCreateRemoveViews
 configuration option CCPA: 34
 DisableHideShowActionsOnGraph
 configuration option CCPA: 34
 DisableRowColVisibilityChange
 configuration option CCPA: 35
 DisableThresholdsDlg

 configuration option CCPA: 23
 disconnected servers
 connecting to a backup
 Configuration Server DS: 62
 reconnecting to Configuration Server . . DS: 62
 discontinued options ETLR: 53
 displaying agents
 troubleshooting problems with CCPA: 85
 dist-pooling log-level option ETLR: 55
 distributed architecture
 for Data Collection Services DEP: 38
 DMA DEP: 16
 administrative privileges DEP: 27
 configuring DEP: 62, 71
 installing DEP: 83
 OCXs for
 prerequisites DEP: 27
 uninstalling DEP: 119
 upgrading application objects DEP: 61
 DN aliases
 in CCPulse+ displays CCPA: 24
 DN numbers
 in CCPulse+ displays CCPA: 24
 DN object properties CCPA: 57
 Actions CCPA: 57
 DN CCPA: 57
 DNType CCPA: 57
 StartTime CCPA: 57
 Status CCPA: 57
 SwitchID CCPA: 57
 type CCPA: 57
 DN property CCPA: 57
 DNLoggedOut
 configuration option CCPA: 27
 DNLoggedOut icon CCPA: 27
 DNs property CCPA: 54
 DNType property CCPA: 57
 double counting statistics REF: 10
 downloading
 JRE DEP: 89
 drop log-level option ETLR: 55
 dropTransferredTables runtime
 parameter DEP: 21, DS: 67, ETLR: 46, 59

E

emergency save file REF: 36
 emergency save file directory DEP: 57
 emergency save files DEP: 124
 algorithm DS: 65
 deleting DS: 67
 extracting data DS: 67
 resolving regular use DS: 67
 emergency-save-directory
 configuration option DS: 26, 63
 EnableAgentCapacity

configuration option. CCPA: 29
 EnableAgentCapacityStatus
 configuration option. CCPA: 29
 EnableAgentGroupCapacity
 configuration option. CCPA: 29
 EnableDNAliases
 configuration option. CCPA: 24
 environment variables
 CLASSPATH. DEP: 89
 PATH. DEP: 89
 error log-level option. ETLR: 55
 error messages
 General SQL Server error. CCPA: 86
 No connection to specified
 DB server.... CCPA: 85
 No data available for review.... CCPA: 87
 No historical associations.... CCPA: 87
 estimating
 Data Mart size DEP: 35
 number of collection units. DEP: 39
 ODS size DEP: 31
 ETL Assistant DEP: 21
 JDBC driver for DEP: 21
 setting purge rules ETLR: 88
 ETL Runtime
 database accounts for DEP: 30
 scheduling processes DEP: 22
 TAT module. DEP: 127, 128
 Transformation module DEP: 126
 tuning performance. REF: 16
 ETL Runtime application objects
 upgrading. DEP: 63
 ETL Runtime modules
 aggregation. ETLR: 12, 63
 configuration tracking ETLR: 12, 73
 purging ETLR: 12, 85
 tenant alias tracking ETLR: 12, 77
 transformation ETLR: 12, 59
 ETL Runtime parameters. ETLR: 40
 ETL Runtime processes DEP: 93
 ETL Runtime Starter. DEP: 104, 127, ETLR: 16
 ETL Service Starter DEP: 22
 Aggregation module DEP: 22
 Configuration-Object Tracking module. DEP: 22
 Transformation module DEP: 22
 ETL service starter section. ETLR: 16
 ETL_Agg_Only process. ETLR: 17, 21
 etl.properties file ETLR: 92
 ETL_Purging process ETLR: 86
 ETL_Tracking process ETLR: 17
 ETL_Trans_and_Agg process. ETLR: 21
 ETL_Trans_Once process ETLR: 20
 ETL_Trans_Only process ETLR: 17, 20
 event log-level option ETLR: 55
 ExactValue threshold CCPA: 72
 ExactValueWDuration threshold CCPA: 72
 examples

creating filters REF: 10
 for preparing partial-year reports. REF: 17
 how DMA reports time REF: 29
 how ETL Runtime reports
 time changes REF: 30
 how ODS reports time REF: 28
 how Stat Server handles time changes. REF: 27
 inserting fake records into
 OL_CHUNK_LOG. REF: 36
 marking records as transferred. REF: 36
 of creating views. REF: 12
 of normalizing statistics REF: 11
 response file CCPA: 16
 scheduling ETLR: 20
 setting a 30-minute time profile REF: 17
 setting a 5-minute time profile REF: 17
 silent install log file CCPA: 19
 ExecuteProcess action CCPA: 78
 expire log option DS: 38, ETLR: 26
 ExtendedCurrentStatus
 configuration option. CCPA: 32
 extracting data
 from the emergency save files DS: 67

F

flushing data
 See purging data.
 for referencing basic statistics CCPA: 52
 FormatAgentInfo
 customizing in Registry CCPA: 38
 Framework
 architecture DEP: 12

G

GCTISetup.ini DEP: 85, 87
 GraphAxisFontSize
 customizing in Registry CCPA: 38
 GraphBkColor
 customizing in Registry CCPA: 38
 GraphTileFontSize
 customizing in Registry CCPA: 38
 GreaterThanLimit threshold CCPA: 73
 GreaterThanLimitWDuration threshold CCPA: 73
 Greenwich Mean Time REF: 25
 GridFontSize
 customizing in Registry CCPA: 37

H

Hide action CCPA: 76
 Hide object
 in action scripts CCPA: 66
 high availability

architecture DEP: 43, DS: 14
 Data Mart database DEP: 43
 data redundancy DEP: 41
 definition DS: 12
 deployment DEP: 45
 ODS database DEP: 43
 planning considerations DEP: 42
 T-Server DEP: 43
 historical associations
 for custom statistics CCPA: 43
 troubleshooting problems with CCPA: 87
 historical reporting considerations
 associations for statistics CCPA: 43
 column names CCPA: 42
 composite metrics CCPA: 42
 Data Mart CCPA: 41
 Info Mart CCPA: 44
 using the last_N_intervals parameter. CCPA: 43
 HistoricalUpdateFrequency
 customizing in Registry CCPA: 39
 hot standby mode DEP: 44
 Hyperion Intelligence Server DEP: 131
 Hyperion Query Designer DEP: 131
 Hyperion tools
 prerequisites DEP: 27

I
 IconStyle section CCPA: 27
 customizing DNLoggedOut icon CCPA: 27
 IgnoreNewObjectNotifications
 configuration option CCPA: 29
 Import/Export Utility
 troubleshooting problems CCPA: 84
 info log-level option ETLR: 56
 Info Mart connections CCPA: 44
 Information Delivery Services DEP: 13
 init log-level option ETLR: 56
 initializing
 the Data Mart DEP: 91
 inserting fake records REF: 36
 installing
 CCPulse+ silently CCPA: 15
 Data Mart DEP: 87
 Data Sourcer DEP: 84, 86
 DMA DEP: 83
 InstallShield Silent CCPA: 15
 intended audience DEP: 8
 interaction log option DS: 47, ETLR: 32
 Internet Explorer 6+ DEP: 27
 IntervalForCurrentUpdate
 customizing in Registry CCPA: 39
 invoking
 Solution Reporting Wizard DEP: 52
 ISO 8601
 determining Week 1 ETLR: 65

J

JDBC driver
 for ETL Assistant DEP: 21
 jdbcurl runtime parameter DEP: 91, ETLR: 46
 JScript language CCPA: 51

K

keep-startup-file log option DS: 37, ETLR: 25
 <key name> log option ETLR: 37
 key-value pair REF: 10

L

last_N_intervals
 using this parameter CCPA: 43
 layout templates DEP: 15, 16, DS: 12
 LessThanLimit threshold CCPA: 73
 LessThanLimitWDuration threshold CCPA: 74
 LessThanSpecifiedLimit threshold CCPA: 73
 levelOfLog runtime parameter ETLR: 47
 level-reassign- log option DS: 51
 level-reassign-disable log option DS: 51
 limitations
 number of report layouts DEP: 18, DS: 13
 listener log-level option ETLR: 56
 Local Control Agent DEP: 101, 103
 local time REF: 25
 locales
 determining calendar weeks ETLR: 65
 local-options configuration option CCPA: 13
 log configuration options DS: 35–48, ETLR: 23–33
 Log Events ETLR: 57
 log events DS: 59, ETLR: 57
 log file DS: 61
 for silent installation CCPA: 18
 sample for silent install CCPA: 19
 silent install result codes CCPA: 18
 log output
 for purging the ODS ETLR: 88
 log runtime parameter ETLR: 47
 log sections
 log ETLR: 23
 log-filter ETLR: 36
 log-filter-data ETLR: 37
 Log Wizard DEP: 57
 Login ID property CCPA: 54
 loglevel runtime parameter ETLR: 48

M

maintaining
 data integrity ETLR: 59
 maintaining consistency

- with ODS/Data Mart REF: 34
- Management Layer DEP: 12
- management-port configuration option . . . DS: 26
- max-chunk-size configuration option. . . . DS: 26
- MaxInteractions capacities item. CCPA: 55
- MaxNumberOfAgents
 - configuration option. CCPA: 35
- max-write-attempts configuration option . DS: 27
- max-write-reschedule-attempts configuration
 - option. DS: 27
- Media Layer DEP: 12
- MediaType capacity item CCPA: 55
- MediaTypes
 - configuration option. CCPA: 32
- MediaTypes configuration option CCPA: 60
- memory consumption DEP: 124
- memory log option DS: 41, ETLR: 29
- memory-storage-size log option DS: 41, ETLR: 29
- message_format log option . . . DS: 39, ETLR: 27
- messagefile log option DS: 38, ETLR: 26
- metrics
 - using composite. CCPA: 42
- Microsoft Internet Explorer 6+ DEP: 27
- Microsoft SQL Server
 - preparations DEP: 31
- MinimalDaysIn ETLR: 51
- modifying
 - Data Sourcer application DS: 19
 - ODS DAP application DS: 29
- monitoring agent activity
 - troubleshooting problems CCPA: 86
- monitoring object status
 - with CCPulse+ DEP: 22

N

- naming conventions
 - for tenant user names ETLR: 79
 - restrictions ETLR: 19
- new_account log-level option ETLR: 56
- new-object-delay configuration option. . . DS: 27
- normalizing statistics. REF: 11
- noSrcData runtime parameter. ETLR: 48
- NotEqual threshold. CCPA: 74
- NotEqualWDuration threshold. CCPA: 74
- notification modes
 - reset-based. REF: 37
 - time-based REF: 37
- NotifyEvery
 - customizing in Registry CCPA: 39
- numberOfIntervalsToWaitFor_AGG_BY_
 - DAY runtime parameter ETLR: 48
- numberOfIntervalsToWaitFor_AGG_BY_
 - HOURL runtime parameter ETLR: 48
- numberOfIntervalsToWaitFor_AGG_BY_
 - MONTH runtime parameter ETLR: 48
- numberOfIntervalsToWaitFor_AGG_BY_
 - QUARTER runtime parameter ETLR: 49
- numberofIntervalsToWaitFor_AGG_BY_HOUR
 - runtime parameter REF: 17

- numberofIntervalsToWaitFor_AGG_BY_
 - WEEK runtime parameter ETLR: 48
- numberofIntervalsToWaitFor_AGG_BY_
 - YEAR runtime parameter. ETLR: 49
- numberOfWriters runtime parameter. . . ETLR: 49
- numofIntervalsToWaitFor_AGG_BY_HOUR
 - runtime parameter REF: 17

O

- object groups
 - creating DEP: 125, 128
- Object Linking and Embedding (OLE)
 - Custom Controls
 - See OCX.
- objects
 - tracking DEP: 22
- OCX DEP: 27
 - for CCPulse+ DEP: 27
 - for DMA
- ODS DEP: 18, DS: 13, REF: 15
 - estimating size DEP: 31
 - tablespaces. DEP: 29
- ODS DAP application, modifying DS: 29
- ODS-USER-SCHEMA section. DS: 29
- OL_CHUNK_LOG table. REF: 35
- Operational Data Storage. DEP: 15
 - See ODS.
- <option name> configuration option . . . DS: 29
- Oracle
 - database SID required DEP: 30
- Oracle Corporation DEP: 23
- ORACLE_TablespaceNameForDataIndexes
 - runtime parameter ETLR: 49
- ORACLE_TablespaceNameForDataTables
 - runtime parameter ETLR: 50
- out of memory DS: 64
- OutOfRange threshold CCPA: 74
- OutOfRangeWDuration threshold. CCPA: 75
- overloading
 - collection units DEP: 124

P

- parameters ETLR: 40
 - for database initialization DEP: 30
- partial-period aggregations. ETLR: 64
- pass runtime parameter. DEP: 91, ETLR: 50
- PATH environment variable DEP: 89
- PCSpeakerAudioAlert action. CCPA: 78
- performance
 - CCPulse+ historical reporting REF: 23
 - CCPulse+ real-time reporting. REF: 22
 - elements affecting Data Sourcer. REF: 20
 - elements affecting ETL Runtime. REF: 21

- tuning ETL Runtime REF: 16
- performance measurements
 - Data Sourcer REF: 20
 - ETL Runtime REF: 21
 - Stat Server REF: 19
- persistent connection CCPA: 46
- person-presentation-format
 - configuration option DS: 28
- Persons object
 - Ranks property DEP: 113
 - Security property DEP: 113
- PlaceID property CCPA: 54
- predefined format string. CCPA: 60, 61
- predefined objects
 - in formulas CCPA: 53
- Predefined Statistics window CCPA: 51
- predeployment
 - administrator privileges DEP: 25
 - CCPulse+ DEP: 27
 - component requirements DEP: 26
 - configuration wizards prerequisites DEP: 25
 - Data Mart DEP: 27
 - Data Modeling Assistant. DEP: 27
 - Data Sourcer DEP: 26
 - database preparations DEP: 28
 - DB2 preparations DEP: 30
 - Hyperion tools DEP: 27
 - Microsoft SQL Server preparations DEP: 31
- prerequisites
 - for starting CCPulse+ DEP: 115
 - for starting Data Sourcer DEP: 99
 - for starting ETL Assistant DEP: 103
 - for starting ETL Runtime DEP: 105
- print-attributes log option DS: 40, ETLR: 28
- priorities
 - assigning start-up priorities DEP: 94
- priority configuration option ETLR: 18, 19
- process names
 - restrictions ETLR: 19
- processes
 - creating ETLR: 19
 - ETL_Agg_Only ETLR: 17, 21
 - ETL_Purging ETLR: 86
 - ETL_Tracking ETLR: 17
 - ETL_Trans_and_Agg ETLR: 21
 - ETL_Trans_Once ETLR: 20
 - ETL_Trans_Only ETLR: 17, 20
 - naming restrictions ETLR: 19
- Processes configuration option ETLR: 16
- properties files
 - createdb.properties ETLR: 91
 - etl.properties ETLR: 92
 - location of. ETLR: 40
 - purge.properties ETLR: 92
 - tenants_alias_update.properties. ETLR: 81, 93
 - using ETLR: 39

- purge log-level option ETLR: 56
- purge rules
 - defining DEP: 126
- purge.properties file ETLR: 92
- purging data
 - algorithm ETLR: 88
 - from ODS DS: 67
- Purging module ETLR: 12, 85
- scheduling ETLR: 80, 85
- PURGING_RULES table ETLR: 88

Q

- QueryStorageFullPath
 - configuration option. CCPA: 23

R

- Ranks property DEP: 113
- raw data size
 - calculating. DEP: 36
- read-src log-level option. ETLR: 56
- real-time mode DS: 16
- real-time reporting
 - architecture DEP: 23
- rebind-delay log option DS: 55
- receive-queue-size configuration option. DS: 28
- recommendations
 - for backing up data REF: 33
- reinitAfterExceptionTimeout
 - runtime parameter ETLR: 50
- removing
 - collection units DEP: 127
- Report Generation Assistant. DEP: 21
- report layouts DEP: 17, DS: 13
 - activating DEP: 17, 20, DS: 17, REF: 37
 - creating default layouts DS: 32
 - deactivating. DEP: 126, DS: 17, REF: 37
 - generating automatically. DEP: 57
 - limitation on number of. DEP: 18
- Reporting CD DEP: 25
- Reporting Services DEP: 13
 - architecture DEP: 13
- Reporting Templates CD DEP: 25
- requests
 - calculating number of. DEP: 32
- requirements
 - Data Sourcer memory REF: 20
 - for Data Sourcer to process statistics. REF: 20
 - for ETL Runtime to process statistics. REF: 21
 - Stat Server memory. REF: 19
 - reset-based notification mode REF: 37
- ResetColor action CCPA: 77
- ResetColor object
 - in action scripts CCPA: 66

resolving statistical parameter
 ambiguities DEP: 80
 response file
 for silent installation. CCPA: 16
 playing back CCPA: 16
 sample. CCPA: 16
 restoration points REF: 35
 restoring databases
 from backup REF: 35
 general information about. REF: 33
 inserting fake records REF: 36
 Result object
 in threshold scripts CCPA: 64
 return values
 formatting CCPA: 59
 reverse_password
 runtime parameter ETLR: 50, 80
 RoutableInteractions capacity item. CCPA: 55
 run-agg_only.bat ETLR: 92
 run-createdb command DEP: 92
 run-createdb.bat ETLR: 92
 run-purge.bat ETLR: 92
 run-tenants_alias_update.bat script . . . ETLR: 92
 runtime parameters ETLR: 40
 run-trans_and_agg.bat ETLR: 92
 run-trans_once.bat ETLR: 92
 run-trans_only.bat ETLR: 92

S

SafeScriptMode
 configuration option. CCPA: 30
 scaling
 chunk write time DEP: 124
 collection unit overload DEP: 124
 emergency save files. DEP: 124
 knowing when to scale up. DEP: 124
 memory consumption DEP: 124
 scheduling
 a one-time transformation. ETLR: 61
 examples ETLR: 20
 ongoing data transformation ETLR: 60
 tenant-alias tracking ETLR: 80
 the Purging module. ETLR: 80, 85
 scheduling processes
 ETL Runtime DEP: 22
 scheyouts ETLR: 55
 scripts
 run-tenants_alias.bat. ETLR: 92
 sections
 CustomStatistic CCPA: 32
 IconStyle CCPA: 27
 Storage CCPA: 22
 UserInterface. CCPA: 23
 View CCPA: 33
 Workspace CCPA: 28

Security property DEP: 113
 segment log option DS: 37, ETLR: 25
 selecting
 multiple application objects DEP: 54
 SendE-MailWithCDO action CCPA: 79
 servers
 disconnecting from CCPulse+ CCPA: 45
 Services Layer DEP: 12, 23
 SetColor action CCPA: 77
 SetColor object
 in action scripts CCPA: 66
 setFirstDayOfWeek
 runtime parameter ETLR: 51, 66
 setMinimalDaysInFirstWeek
 runtime parameter ETLR: 51
 setting
 alarm conditions DS: 58
 purging rules ETLR: 88
 the PATH environment variable DEP: 89
 Show action CCPA: 77
 Show object
 in action scripts CCPA: 66
 ShowAgentLoginID
 configuration option. CCPA: 24
 ShowAgentSkills
 configuration option. CCPA: 24
 ShowDurationBeforeStatusName
 configuration option. CCPA: 26
 ShowStatusReasons
 configuration option. CCPA: 24, 25
 SID DEP: 104
 silent installation
 command line parameters. CCPA: 16
 defined. CCPA: 15
 log file CCPA: 18
 log file result codes CCPA: 18
 performing remotely CCPA: 18
 response file CCPA: 16
 single-byte names
 for databases. DEP: 30
 snapshots REF: 35
 Solution Control Server DEP: 103
 sourceDefReReadTimeout
 runtime parameter ETLR: 51
 spool log option DS: 41, ETLR: 29
 sql log-level option ETLR: 56
 SQL Server
 troubleshooting problems with CCPA: 86
 sql-save-path configuration option DS: 28
 sql-stats log-level option ETLR: 56
 srcObjectsRereadTimeout
 runtime parameter ETLR: 52
 srcRefreshTimeout
 runtime parameter ETLR: 52, REF: 16
 standard log option. DS: 47, ETLR: 32
 start_agg log-level option ETLR: 56

start_write_mon log-level option ETLR: 56
 Starter
 see ETL Runtime Starter
 starter ETLR: 12
 starting CCPulse+
 from a console window DEP: 116
 from the Programs menu DEP: 116
 starting Data Sourcer
 from the Solution Control Interface DEP: 99
 on UNIX platforms DEP: 101
 on Windows platforms DEP: 100
 starting DMA
 from the Configuration Manager DEP: 97
 starting ETL Assistant DEP: 104
 starting ETL Runtime Starter
 as a Windows service DEP: 106
 from the Solution Control Interface DEP: 105
 on UNIX platforms DEP: 106
 on Windows platforms DEP: 105
 startServer.bat ETLR: 93
 starttime configuration option ETLR: 18
 StartTime property CCPA: 54, 55, 57
 start-up priorities
 for solution components DEP: 94
 Stat Server DEP: 15, 19
 manually configuring for HA DEP: 46
 memory DEP: 124
 troubleshooting connection problems CCPA: 87
 troubleshooting sudden disconnect CCPA: 86
 Stat Server application objects
 creating DEP: 72
 StatAction object CCPA: 68
 StatAlias object
 in threshold scripts CCPA: 64
 state object properties
 AgentGroupID CCPA: 55
 AgentID CCPA: 54
 Capacities CCPA: 54, 55
 DNS CCPA: 54
 LoginID CCPA: 54
 PlaceID CCPA: 54
 StartTime CCPA: 54, 55
 Status CCPA: 54
 type CCPA: 54, 55
 state predefined object CCPA: 58
 statistics
 double counting REF: 10
 historical associations for custom CCPA: 43
 time required to process REF: 20
 StatProfileStorageFullPath
 configuration option CCPA: 23
 StatReasons object
 in threshold scripts CCPA: 65
 Status property CCPA: 54, 57
 StatValue object
 in threshold scripts CCPA: 64

stopping CCPulse+ DEP: 116
 stopping Data Sourcer
 from the Microsoft Management
 Console DEP: 102
 on UNIX DEP: 103
 stopping DMA DEP: 97
 stopping ETL Assistant DEP: 104
 stopping ETL Runtime
 on UNIX platforms DEP: 109
 stopping ETL Runtime Starter
 on Windows platforms DEP: 109
 Storage section CCPA: 22
 storage section
 customizing location of CCPA: 22
 storages
 customizing location of CCPA: 22
 supported databases DEP: 28, DS: 13
 supported operating systems DEP: 26
 supported RDBMSs DEP: 18
 surviveLossOfASource
 runtime parameter ETLR: 52
 SwitchID property CCPA: 57
 synonyms ETLR: 77
 syntax CCPA: 52
 system identification number (SID)
 for Oracle DEP: 30

T

tables
 CHUNK_LOG REF: 35
 recording time in ODS REF: 28
 recording time in the Data Mart REF: 31
 tables OL_CHUNK_LOG REF: 35
 tablespaces
 for Data Mart DEP: 29
 for ODS DEP: 29
 TAT module
 ETL Runtime DEP: 127, 128
 templates
 column names in CCPA: 42
 TemplatesStorageFullPath
 configuration option CCPA: 23
 Tenant Alias Tracking module ETLR: 12, 77
 Tenant Alias Update module
 See TAT module.
 Tenant Alias-Tracking module
 assigning tenant user names ETLR: 78
 password algorithm ETLR: 79
 tenant synonyms ETLR: 77
 tenants
 tracking changes DEP: 22
 tenants_alias_update.log ETLR: 78
 tenants_alias_update.properties file ETLR: 81, 93
 tenants_shortcut runtime parameter ETLR: 52, 79
 threads

- number required. DEP: 29
- thread-wait log-level option ETLR: 56
- thresholds
 - ActionDelay object CCPA: 64
 - AgentLoggedIn CCPA: 71
 - AgentLoggedOut CCPA: 71
 - CampaignActivated CCPA: 72
 - CampaignDeactivated CCPA: 72
 - ExactValue CCPA: 72
 - ExactValueWDuration CCPA: 72
 - example CCPA: 70
 - GreaterThanLimit CCPA: 73
 - GreaterThanLimitWDuration CCPA: 73
 - LessThanLimit CCPA: 73
 - LessThanLimitWDuration CCPA: 74
 - LessThanSpecifiedLimit CCPA: 73
 - NotEqual CCPA: 74
 - NotEqualWDuration CCPA: 74
 - OutOfRange CCPA: 74
 - OutOfRangeWDuration CCPA: 75
 - predefined explained CCPA: 71
 - Result object CCPA: 64
 - StatAction objects CCPA: 68
 - StatAlias object CCPA: 64
 - StatReasons object CCPA: 65
 - StatValue object CCPA: 64
 - using with actions CCPA: 69
 - WithinRange CCPA: 75
 - WithinRangeOfValues CCPA: 75
 - WithinRangeWDuration CCPA: 75
- ThresholdsStorageFullPath
 - configuration option. CCPA: 23
- time changes
 - how Data Sourcer handles REF: 28
 - how DMA reports REF: 29
 - how ETL Runtime handles REF: 30
 - how IS Data Sourcer handles time REF: 28
 - how Stat Server handles REF: 27
- time conversions
 - JRE. REF: 26
- time intervals
 - default REF: 16
- time profile
 - changing DS: 57
- time profiles DEP: 18
 - default DS: 57
- time zones
 - TIME_ZONE table REF: 25
 - number of variations REF: 25
- time_convert log option DS: 39, ETLR: 27
- time_format log option. DS: 40, ETLR: 28
- time-based notification modes. REF: 37
- trace log option DS: 48, ETLR: 33
- tracking
 - deleted tenants DS: 32
 - monitored objects DEP: 22
 - new tenants DS: 32

- tenant changes DEP: 22
- trans_and_agg mode REF: 16
- trans_batch_mode configuration option DEP: 26
- transformation mode. REF: 16
- Transformation module DEP: 22, ETLR: 12, 59
 - ETL Runtime DEP: 126
- transformation process ETLR: 59
- transOnce runtime parameter ETLR: 52
- troubleshooting
 - agent login issues. CCPA: 83
 - agent missing from displays CCPA: 85
 - dropped server connections DS: 61
 - general SQL server error CCPA: 86
 - Import/Export Utility disabled CCPA: 84
 - missing Stat Server CCPA: 87
 - missing statistics. DS: 63
 - monitoring agent activity. CCPA: 86
 - no DB Server connection CCPA: 85
 - no historical associations CCPA: 87
 - out of memory DS: 64
 - primary data sourcer failure. DS: 64
 - Stat Server disconnect CCPA: 86
 - wizards disabled. CCPA: 84
- T-Server. DEP: 19
- type property. CCPA: 54, 55, 57

U

- uninstalling
 - CC Analyzer Data Mart DEP: 120
 - CC Analyzer Data Modeling Assistant DEP: 119
 - CC Analyzer Data Sourcer DEP: 121
 - CCPulse+ DEP: 122
- updateAllStats runtime parameter ETLR: 52
- updateStatsAfter runtime parameter ETLR: 53
- upgrading
 - CCPulse+ application objects DEP: 70
 - Data Modeling Assistant
 - application objects DEP: 61
 - Data Sourcer application objects DEP: 56
 - ETL Runtime application objects. DEP: 63
- user names
 - TAT-assigned. ETLR: 78
- user runtime parameter DEP: 91, ETLR: 53
- user-defined format string CCPA: 60, 61
- UserInterface section CCPA: 23
- users
 - setting up DEP: 113
- UseStatServerVirtualGroups
 - configuration option. CCPA: 30
- using fake records
 - for database recovery REF: 36
- using SCI
 - to start Data Sourcer DEP: 99
 - to start the ETL Runtime Starter DEP: 105

V

verbose log option DS: 36, ETLR: 24
 verbose-request-statistics
 configuration option DS: 28
 View sectionCCPA: 33
 virtual queuesREF: 10

W

wake log-level option ETLR: 56
 warning log-level option. ETLR: 56
 watchdog ETLR: 55
 WAVAudioAlert actionCCPA: 77
 week numbers
 how ETL Runtime determines ETLR: 66
 weekends ETLR: 70
 weeks
 determining week number ETLR: 65
 wholeWeeks runtime parameter . . . ETLR: 53, 66
 Windows Registry
 customizing settings in. CCPA: 37
 root path. CCPA: 37
 WithinRange thresholdCCPA: 75
 WithinRangeOfValues thresholdCCPA: 75
 WithinRangeWDuration thresholdCCPA: 75
 wizards
 troubleshooting problems with CCPA: 84
 Workspace section.CCPA: 28
 WorkspaceAutoLoad
 configuration option. CCPA: 31
 WorkspacesStorageFullPath
 configuration option. CCPA: 23
 write log-level option. ETLR: 56

X

x-conn-debug-all log option DS: 44
 x-conn-debug-api log option DS: 44
 x-conn-debug-dns log option DS: 44
 x-conn-debug-security log option DS: 44
 x-conn-debug-select log option DS: 43
 x-conn-debug-timers log option DS: 43
 x-conn-debug-write log option. DS: 43