



Reporting 8.0

Master Index

Note: Reporting Generation Assistant reached End of Support.
Ignore any references to it or RGA in this document.

The information contained herein is proprietary and confidential and cannot be disclosed or duplicated without the prior written consent of Genesys Telecommunications Laboratories, Inc.

Copyright © 2002–2010 Genesys Telecommunications Laboratories, Inc. All rights reserved.

About Genesys

Genesys Telecommunications Laboratories, Inc., a subsidiary of Alcatel-Lucent, is 100% focused on software for contact centers. Genesys recognizes that better interactions drive better business and build company reputations. Customer service solutions from Genesys deliver on this promise for Global 2000 enterprises, government organizations, and telecommunications service providers across 80 countries, directing more than 100 million customer interactions every day. Sophisticated routing and reporting across voice, e-mail, and Web channels ensure that customers are quickly connected to the best available resource—the first time. Genesys offers solutions for customer service, help desks, order desks, collections, outbound telesales and service, and workforce management. Visit www.genesyslab.com for more information.

Each product has its own documentation for online viewing at the Genesys Technical Support website or on the Documentation Library DVD, which is available from Genesys upon request. For more information, contact your sales representative.

Notice

Although reasonable effort is made to ensure that the information in this document is complete and accurate at the time of release, Genesys Telecommunications Laboratories, Inc., cannot assume responsibility for any existing errors. Changes and/or corrections to the information contained in this document may be incorporated in future versions.

Your Responsibility for Your System's Security

You are responsible for the security of your system. Product administration to prevent unauthorized use is your responsibility. Your system administrator should read all documents provided with this product to fully understand the features available that reduce your risk of incurring charges for unlicensed use of Genesys products.

Trademarks

Genesys, the Genesys logo, and T-Server are registered trademarks of Genesys Telecommunications Laboratories, Inc. All other trademarks and trade names referred to in this document are the property of other companies. The Crystal monospace font is used by permission of Software Renovation Corporation, www.SoftwareRenovation.com.

Technical Support from VARs

If you have purchased support from a value-added reseller (VAR), please contact the VAR for technical support.

Technical Support from Genesys

If you have purchased support directly from Genesys, please contact Genesys Technical Support at the following regional numbers:

Region	Telephone	E-Mail
North America and Latin America	+888-369-5555 (toll-free) +506-674-6767	support@genesyslab.com
Europe, Middle East, and Africa	+44 (0) 118 974 7002	support@genesyslab.co.uk
Asia Pacific	+61 7 3368 6868	support@genesyslab.com.au
Malaysia	1-800-814-472 (toll-free) +61-7-3368-6868	support@genesyslab.com.au
India	000-800-100-7136 (toll-free) +91-(022)-3918-0537	support@genesyslab.com.au
Japan	+81-3-6361-8950	support@genesyslab.co.jp

Prior to contacting technical support, please refer to the [Genesys Technical Support Guide](#) for complete contact information and procedures.

Ordering and Licensing Information

Complete information on ordering and licensing Genesys products can be found in the [Genesys Licensing Guide](#).

Released by

Genesys Telecommunications Laboratories, Inc. www.genesyslab.com

Document Version: 80rt_mindex_06-2010_v8.0.001.00



Master Index

This document provides a master index of the following documents:

- *Reporting 8.0 Deployment Guide (DEP)*
- *Reporting 7.6 Data Sourcer User's Guide (DS)*
- *Reporting 7.6 ETL Runtime User's Guide (ETLR)*
- *Reporting 7.2 Report Generation Assistant User's Guide (RGA)*
- *Reporting 8.0 CCPulse+ Administrator's Guide (CCPA)*
- *Reporting 8.0 Reference Manual (REF)*

The abbreviations in parentheses following each document title above are those used to preface the page numbers for which referenced material is found. Information about the `dropTransferredTables` runtime parameter, for example, can be found in the *Deployment Guide* on page 19, the *Data Sourcer User's Guide* on page 67, and the *ETL Runtime User's Guide* on pages 46 and 59.

`dropTransferredTables` runtime parameter. **DEP: 19, DS: 67, ETLR: 46, 59**

You are directed to the remaining Reporting 8.0 documents, which consist of three online help files and four Physical Data Models (PDMs), for material pertaining specifically to those subjects. The online help files are not paginated; therefore, their key terms cannot be incorporated into this master index. The help files include:

- *Reporting 7.6 Data Modeling Assistant Help*
- *Reporting 7.6 ETL Assistant Help*
- *Reporting 8.0 CCPulse+ Help*

The four PDM documents are not indexed. Refer directly to the document for your RDBMS for information about Data Mart schema:

- *Reporting 7.6 Physical Data Model for an Oracle Data Mart*
- *Reporting 7.6 Physical Data Model for a Microsoft SQL Data Mart*
- *Reporting 7.6 Physical Data Model for a Sybase Data Mart*
- *Reporting 7.6 Physical Data Model for a DB2 Data Mart*

The *Genesys Combined Log Events Help* file and the *Genesys Migration Guide* also include some information about Reporting which is not reflected in this document.

A

accept-clients-in-backup
 configuration option DEP: 41

accounts
 for Data Sourcer DEP: 28
 for ETL Runtime DEP: 28

Action object properties
 Action CCPA: 59
 StartTime CCPA: 59
 type. CCPA: 59

Action property CCPA: 59

ActionDelay object
 in threshold scripts CCPA: 66

actions
 ActivateWebBrowser CCPA: 79
 CCPulseNotifier in CCPA: 68
 CFGDbid object CCPA: 67
 CFGObjectID object CCPA: 67
 CFGTenantDbid object. CCPA: 67
 CFGType object. CCPA: 68
 color enumeration objects. CCPA: 69
 configuration objects CCPA: 67
 example CCPA: 78
 ExecuteProcess CCPA: 79
 explanation of predefined actions CCPA: 78
 Hide CCPA: 79
 Hide object CCPA: 68
 PCSpeakerAudioAlert CCPA: 79
 ResetColor CCPA: 80
 ResetColor object. CCPA: 68
 SendE-MailWithCDO. CCPA: 80
 SetColor. CCPA: 81
 SetColor object CCPA: 68
 Show. CCPA: 81
 Show object CCPA: 68
 using with thresholds. CCPA: 78
 WAVAAudioAlert. CCPA: 82

Actions property CCPA: 59

ActionsStorageFullPath
 configuration option CCPA: 24

activate-new-layouts
 configuration option DEP: 15, DS: 13, 21

ActivateWebBrowser action CCPA: 79

activating
 report layouts DEP: 18, DS: 17

adding
 collection units DEP: 116

administrative privileges
 for CCPulse+. DEP: 25
 for DMA DEP: 25

administrators
 setting up in Configuration Manager DEP: 106

agent group capacity
 calculation CCPA: 34
 performance CCPA: 34

agent login
 troubleshooting problems CCPA: 87

AgentGroupID property CCPA: 57

AgentID property CCPA: 56

AgentLoggedIn threshold CCPA: 73

AgentLoggedOut threshold. CCPA: 73

agg log-level option ETLR: 55

agg runtime parameter ETLR: 40

agg_only mode REF: 16

aggOnly runtime parameter ETLR: 40

aggQuota runtime parameter ETLR: 41

aggregating data ETLR: 63

Aggregation frame RGA: 28

aggregation levels
 defined. ETLR: 63

Aggregation module ETLR: 12, 63
 described ETLR: 63
 ETL Service Starter DEP: 20

aggregations
 calculating number of. DEP: 34
 partial period ETLR: 64

Alarm Condition Wizard DS: 57, ETLR: 57

alarm conditions
 setting DS: 56

algorithms
 purge ETLR: 88
 tenant passwords ETLR: 79

alias log-level option ETLR: 55

all log option DS: 44, ETLR: 31

all log-level option ETLR: 55

architecture
 CCPulse+ DEP: 21
 Framework DEP: 10
 real-time reporting. DEP: 21
 Reporting Services DEP: 11

assigning
 application priorities. DEP: 86

auto-create-new-tenant-layouts
 configuration option DEP: 15, DS: 21

autorestart DEP: 101

B

backup
 Configuration Server DS: 61

backup data sourcer
 function DEP: 42

backup policy
 useful information by RDBMS type REF: 33

-backup_host
 command-line argument DEP: 91, 93, 94

-backup_port
 command-line argument DEP: 91, 93, 94

basic statistics
 icon CCPA: 53
 in formulas CCPA: 54

Basic Statistics Only field RGA: 26
 batch files
 run-agg_only.bat ETLR: 92
 run-createdb.bat. ETLR: 92
 run-purge.bat. ETLR: 92
 run-trans_and_agg.bat. ETLR: 92
 run-trans_once.bat ETLR: 92
 run-trans_only.bat. ETLR: 92
 startServer.bat ETLR: 93
 BinActionsStorageFullPath
 configuration option CCPA: 25
 BinTemplatesStorageFullPath
 configuration option CCPA: 25
 BinThresholdsStorageFullPath
 configuration option CCPA: 25
 BinWorkspacesStorageFullPath
 configuration option CCPA: 25
 BrioQuery Designer RGA: 5
 Broadcast server RGA: 32
 buffering log option. DS: 34, ETLR: 24

C

calculating
 Data Mart size DEP: 34
 number of aggregations DEP: 34
 number of collection units DEP: 36
 number of requests DEP: 31
 raw data size DEP: 34
 calendar weeks ETLR: 65
 CampaignActivated threshold CCPA: 74
 CampaignDeactivated threshold CCPA: 74
 cancel event. ETLR: 57
 Canned Report field RGA: 25
 Capacities property CCPA: 56, 57
 CurrentInteractions CCPA: 57
 MaxInteractions CCPA: 57
 MediaType CCPA: 57
 RoutableInteractions CCPA: 57
 capacity format
 display CCPA: 62
 predefined CCPA: 62
 user-defined CCPA: 62
 capturing
 agent-type statistics REF: 9
 routing statistics by skill REF: 9
 CCPulse+ DEP: 19, 20
 administrative privileges DEP: 25
 architecture DEP: 21
 installing silently CCPA: 15
 Internet Explorer required DEP: 25
 monitoring object status DEP: 20
 OCXs DEP: 25
 prerequisites DEP: 25
 server connections CCPA: 45
 uninstalling DEP: 114
 using composite metrics CCPA: 42

CCPulse+ application objects
 creating DEP: 70
 upgrading DEP: 68
 CCPulse+ overview CCPA: 11
 CCPulse+ performance
 historical reporting. REF: 23
 real-time reporting. REF: 22
 CCPulse+ status bar CCPA: 45, 48
 CCPulse+ Wizard. DEP: 45
 CCPulseNotifier
 predefined object CCPA: 68
 CfgAppName runtime parameter ETLR: 41
 CfgAppPassword runtime parameter ETLR: 41
 CFGDbid object
 in action scripts CCPA: 67
 CFGObjectID object
 in action scripts CCPA: 67
 CFGTenantDbid object
 in action scripts CCPA: 67
 CFGType object
 in action scripts CCPA: 68
 CfgUser runtime parameter ETLR: 41
 CfgUserName runtime parameter. ETLR: 41
 CfgUserPassword runtime parameter ETLR: 42
 changing DS: 55
 Charts field. RGA: 30
 check-point log option DS: 38, ETLR: 28
 Choose Destination Location DEP: 77, 80, 103
 chunk header DS: 65
 chunk IDs
 locating largest values REF: 35
 rolling forward REF: 36
 chunk write time. DEP: 116
 CHUNK_LOG table REF: 35
 chunkBufferQuota runtime parameter ETLR: 42
 chunk-file-format configuration option DS: 21
 chunkQuota runtime parameter ETLR: 42
 chunksAtOnce runtime parameter ETLR: 42
 CLASSPATH environment variable. DEP: 81
 collecting data DEP: 16, DS: 16
 collection units
 adding DEP: 116
 calculating number of. DEP: 36
 deactivating. DEP: 119
 defined. DEP: 13, DS: 11
 for voice interactions DEP: 14
 removing DEP: 119
 collector section. DS: 20
 CollectorDefault time profile DEP: 16, 17, DS: 55
 colors
 RGB color codes CCPA: 69
 column names
 in templates. CCPA: 42
 linking objects using CCPA: 42
 command configuration option. ETLR: 18
 command log-level option ETLR: 55
 command-line arguments
 -backup_host. DEP: 91, 93, 94

- command-line arguments (continued)
 - backup_port DEP: 91, 93, 94
- common log options DS: 33–46, ETLR: 23–33
 - all DS: 44, ETLR: 31
 - buffering DS: 34, ETLR: 24
 - check-point DS: 38, ETLR: 28
 - compatible-output-priority DS: 40, ETLR: 30
 - debug DS: 46, ETLR: 33
 - default-filter-type ETLR: 36
 - expire DS: 36, ETLR: 26
 - interaction DS: 45, ETLR: 32
 - keep-startup-file DS: 35, ETLR: 25
 - <key name> ETLR: 37
 - level-reassign DS: 49
 - level-reassign-disable DS: 49
 - mandatory options DS: 33, ETLR: 23
 - memory DS: 39, ETLR: 29
 - memory-storage-size DS: 39, ETLR: 29
 - message_format DS: 37, ETLR: 27
 - messagefile DS: 36, ETLR: 26
 - print-attributes DS: 38, ETLR: 28
 - rebind-delay DS: 53
 - segment DS: 35, ETLR: 25
 - spool DS: 39, ETLR: 29
 - standard DS: 45, ETLR: 32
 - time_convert DS: 37, ETLR: 27
 - time_format DS: 38, ETLR: 28
 - trace DS: 46, ETLR: 33
 - verbose DS: 34, ETLR: 24
 - x-conn-debug-all DS: 42
 - x-conn-debug-api DS: 42
 - x-conn-debug-dns DS: 42
 - x-conn-debug-security DS: 42
 - x-conn-debug-select DS: 41
 - x-conn-debug-timers DS: 41
 - x-conn-debug-write DS: 41
- communication-alarm
 - runtime parameter ETLR: 43, 56
- compatible-output-priority
 - log option DS: 40, ETLR: 30
- composite metrics CCPA: 42
- conf runtime parameter ETLR: 43
- conf-check-interval configuration option DS: 21
- ConfigServer Proxy DEP: 58, 92
- Configuration Layer DEP: 10, 20
- configuration objects
 - in action scripts CCPA: 67
- configuration options ETLR: 15, 76
 - accept-clients-in-backup DEP: 41
 - ActionsStorageFullPath CCPA: 24
 - activate-new-layouts DEP: 15, DS: 21
 - auto-create-new-tenant-layouts DEP: 15, DS: 21
 - BinActionsStorageFullPath CCPA: 25
 - BinTemplatesStorageFullPath CCPA: 25
 - BinThresholdsStorageFullPath CCPA: 25
 - BinWorkspacesStorageFullPath CCPA: 25
- chunk-file-format DS: 21
- collector section DS: 20
- common log options DS: 33–46, ETLR: 23–33
- conf-check-interval DS: 21
- create-sample-templates DS: 22
- CurrentStateEnable CCPA: 32
- CurrentStateRefreshInterval CCPA: 30
- data-excess-high threshold DS: 22
- data-excess-low-threshold DS: 23
- data-flow-check-interval DS: 23
- data-flow-timeout DS: 24
- data-table-size DS: 24
- DefaultStorageType CCPA: 24
- DelayBeforeRemoval CCPA: 30
- DisableAgentCurrentState CCPA: 32
- DisableCreateRemoveViews CCPA: 33
- DisableHideShowActionsOnGraph CCPA: 31
- DisableRowColVisibilityChange CCPA: 31
- DisableThresholdsDlg CCPA: 27
- emergency-save-directory DS: 25
- EnableAgentCapacity CCPA: 33
- EnableAgentCapacityStatus CCPA: 33
- EnableAgentGroupCapacity CCPA: 34
- EnableDNAliases CCPA: 27
- EnableXMLExport CCPA: 27
- ETL service starter section ETLR: 16
- ExtendedCurrentStatus CCPA: 22
- IgnoreNewObjectNotifications CCPA: 34
- management-port DS: 25
- mandatory options DS: 33, ETLR: 23
- max-chunk-size DS: 25
- MaxNumberOfAgents CCPA: 31
- max-write-attempts DS: 26
- max-write-reschedule-attempts DS: 26
- MediaTypes CCPA: 22, 62
- new-data-processing DS: 26
- ODS-USER-SCHEMA DS: 28
- <option name> DS: 28
- person-presentation-format DS: 27
- SafeScriptingMode CCPA: 35
- ShowAgentLoginID CCPA: 28
- ShowAgentSkills CCPA: 28
- ShowDurationBeforeStatusName CCPA: 29
- ShowStatusReasons CCPA: 28
- sql-save-path DS: 27
- TemplatesStorageFullPath CCPA: 24
- ThresholdsStorageFullPath CCPA: 24
- trans_batch_mode DEP: 24
- UseStatServerVirtualGroups CCPA: 35
- verbose-request-statistics DS: 27
- WorkspaceAutoLoad CCPA: 36
- WorkspacesStorageFullPath CCPA: 24
- XMLActionsStorageFullPath CCPA: 26
- XMLTemplatesStorageFullPath CCPA: 26
- XMLThresholdsStorageFullPath CCPA: 26
- XMLWorkspacesStorageFullPath CCPA: 26

Configuration Server. DEP: 17
 required version of DEP: 23
 Configuration Tracking module ETLR: 13, 73
 configuration wizards
 predeployment prerequisites DEP: 23
 Configuration-Object Tracking module
 ETL Service Starter. DEP: 20
 configuring
 application objects DEP: 60, 63, 70
 Data Sourcer to use a CSProxy DEP: 58
 the database connection file RGA: 17
 connection failures
 Configuration Server CCPA: 45
 Stat Server CCPA: 48
 connections
 Data Mart CCPA: 41
 Contact Center Analyzer
 Reporting Wizard DEP: 45
 Contact Server Database. DEP: 13
 createdb runtime parameter ETLR: 43
 createdb.properties file DEP: 83, 84, ETLR: 91
 create-sample-templates
 configuration option DS: 22
 create-sql log-level option ETLR: 55
 creating
 an ODBC user DSN RGA: 12
 CCPulse+ application objects DEP: 70
 Data Sourcer application objects DEP: 55
 database accounts DEP: 28
 default report layouts. DS: 30
 filters REF: 10
 object groups. DEP: 117, 119
 Stat Server application objects. DEP: 71
 cumulative statistical categories . DEP: 17, DS: 17
 current status
 determining. CCPA: 55
 CurrentAgentTargetState statistic. CCPA: 62
 CurrentInteractions capacity item. CCPA: 57
 CurrentStateEnable
 configuration option CCPA: 32
 CurrentStateRefreshInterval
 configuration option CCPA: 30
 CurrentTargetState statistical category . CCPA: 62
 custom statistics CCPA: 55
 determining current status CCPA: 55
 formatting return values CCPA: 61
 icon. CCPA: 53
 customizing
 DeltaAvgTime CCPA: 39
 DeltaCntCalls CCPA: 39
 DeltaTotalTime. CCPA: 39
 FormatAgentInfo CCPA: 39
 GraphAxisFontSize. CCPA: 38
 GraphBkColor CCPA: 38
 GraphTileFontSize CCPA: 38
 GridFontSize. CCPA: 38
 HistoricalUpdateFrequency. CCPA: 40

IntervalForCurrentUpdate CCPA: 40
 NotifyEvery CCPA: 40
 Windows Registry settings CCPA: 37
 CustomStatistic section CCPA: 22

D

data aggregation ETLR: 63
 Data Collection Services DEP: 11, REF: 15
 components of DEP: 13
 defined. DEP: 13, DS: 11
 distributed architecture. DEP: 36
 Data Mart. ETLR: 59, RGA: 11
 calculating size of DEP: 33
 configuring DEP: 63
 distributed architecture. DEP: 36
 estimating size of DEP: 33
 initializing DEP: 83
 installing on Windows DEP: 79
 prerequisites DEP: 25
 tablespaces. DEP: 28
 uninstalling DEP: 112
 using with CCPulse+ CCPA: 41
 Data Mart connections. CCPA: 41
 Data Mart Services. DEP: 11, REF: 15
 Data Mart weeks ETLR: 66
 Data Modeling Assistant DEP: 13
 See DMA.
 Data Sourcer
 creating application objects DEP: 55
 database accounts for DEP: 28
 installing on UNIX DEP: 78
 installing on Windows DEP: 76
 manually configuring DEP: 43
 prerequisites DEP: 24
 uninstalling DEP: 113
 upgrading application objects. DEP: 54
 data sourcer
 operating mode DEP: 42
 Data Sourcer application, modifying DS: 19
 Data Sourcer sections
 collector DS: 20
 Data Sourcer servers DS: 16
 Configuration Server DEP: 16, DS: 16
 DB Server. DEP: 16, DS: 13
 Stat Server DEP: 16, 17, DS: 17
 Database Access
 Points DEP: 15, 56, 63, 88 DS: 27
 database connection file
 configuring RGA: 17
 Database Connection Wizard RGA: 17, 18
 database schema. REF: 34
 database snapshots REF: 35
 databases
 capacity requirements DEP: 27
 creating accounts DEP: 28

- databases (continued)
 - DB2 preparation **DEP: 29**
 - initialization parameters **DEP: 28**
 - maintaining consistency **REF: 34**
 - Microsoft SQL preparation **DEP: 29**
 - names **DEP: 28**
 - number of threads **DEP: 27**
 - preparations **DEP: 26**
 - restoration points **REF: 35**
 - supported **DEP: 26**
- data-excess-alarm
 - runtime parameter **ETLR: 43, 56**
- data-excess-check-interval
 - runtime parameter **ETLR: 44**
- data-excess-high-threshold
 - configuration option **DS: 22**
- data-excess-low-threshold
 - configuration option **DS: 23**
- data-excess-threshold
 - runtime parameter **ETLR: 44**
- data-flow-alarm
 - runtime parameter **ETLR: 44, 56**
- data-flow-check-interval
 - configuration option **DS: 23**
- data-flow-check-interval
 - runtime parameter **ETLR: 44**
- data-flow-timeout configuration option . . . **DS: 24**
- data-flow-timeout runtime parameter . . **ETLR: 45**
- dataset names
 - creating **RGA: 12**
- data-table-size configuration option . . . **DS: 24**
- daylight saving time **REF: 25**
- DB Server **DEP: 13, 18**
 - troubleshooting
 - connection problems with **CCPA: 89**
- DB2
 - default port number **DEP: 85**
 - preparations **DEP: 29**
- dba_pass runtime parameter **ETLR: 45**
- dba_user runtime parameter. **ETLR: 45**
- deactivating
 - collection units **DEP: 119**
 - report layouts **DEP: 117**
- deactivating report layouts **DS: 17**
- deadlockThreshold runtime parameter . **ETLR: 45**
- debug log option **DS: 46, ETLR: 33**
- debug log-level option. **ETLR: 55**
- default time profile **DS: 55**
- default-filter-type log option **ETLR: 36**
- defaults
 - ETL Runtime default processes **DEP: 85**
 - for purging data **ETLR: 88**
- DefaultStorageType
 - configuration option **CCPA: 24**
- defining
 - purge rules **DEP: 118**
- DelayBeforeRemoval
 - configuration option **CCPA: 30**
- deleting
 - the emergency save files **DS: 67**
- DeltaAvgTime
 - customizing in Registry **CCPA: 39**
- DeltaCntCalls
 - customizing in Registry **CCPA: 39**
- DeltaTotalTime
 - customizing in Registry **CCPA: 39**
- Details field. **RGA: 28**
- detect event **ETLR: 57**
- determining
 - your DB2 port **DEP: 85**
- DisableAgentCurrentState
 - configuration option **CCPA: 32**
- DisableCreateRemoveViews
 - configuration option **CCPA: 33**
- DisableHideShowActionsOnGraph
 - configuration option **CCPA: 31**
- DisableRowColVisibilityChange
 - configuration option **CCPA: 31**
- DisableThresholdsDlg
 - configuration option **CCPA: 27**
- disconnected servers
 - connecting to a backup
 - Configuration Server **DS: 61**
 - reconnecting to Configuration Server. . **DS: 61**
- discontinued options **ETLR: 53**
- displaying agents
 - troubleshooting problems with **CCPA: 89**
- dist-pooling log-level option **ETLR: 55**
- distributed architecture
 - for Data Collection Services **DEP: 36**
- DMA **DEP: 14**
 - administrative privileges **DEP: 25**
 - configuring **DEP: 60, 70**
 - installing **DEP: 75**
 - OCXs for
 - prerequisites **DEP: 25**
 - uninstalling **DEP: 111**
 - upgrading application objects. **DEP: 59**
- DN aliases
 - in CCPulse+ displays. **CCPA: 27**
- DN numbers
 - in CCPulse+ displays. **CCPA: 27**
- DN object properties **CCPA: 59**
 - Actions. **CCPA: 59**
 - DN **CCPA: 59**
 - DNTYPE **CCPA: 59**
 - StartTime **CCPA: 59**
 - Status **CCPA: 59**
 - SwitchID. **CCPA: 59**
 - type. **CCPA: 59**
- DN property **CCPA: 59**
- DNs property **CCPA: 56**
- DNTYPE property **CCPA: 59**

double counting statistics.REF: 10
 downloading
 JRE.DEP: 81
 drop log-level option.ETLR: 55
 dropTransferredTables runtime
 parameter . DEP: 19, DS: 67, ETLR: 46, 59
 DSNs
 creatingRGA: 12

E

EIS
 defined.RGA: 19
 EIS Connect windowRGA: 20
 EIS Select Layout windowRGA: 23
 EIS Select Object Type window.RGA: 22
 EIS Select Tenant windowRGA: 21
 EIS Select View windowRGA: 24
 EIS windows.RGA: 19
 emergency save fileREF: 37
 emergency save file directoryDEP: 55
 emergency save filesDEP: 116
 algorithmDS: 65
 deletingDS: 67
 extracting dataDS: 67
 resolving regular use.DS: 67
 emergency-save-directory
 configuration optionDS: 25, 61
 EnableAgentCapacity
 configuration optionCCPA: 33
 EnableAgentCapacityStatus
 configuration optionCCPA: 33
 EnableAgentGroupCapacity
 configuration optionCCPA: 34
 EnableDNAliases configuration option .CCPA: 27
 EnableXMLExport configuration option .CCPA: 27
 environment variables
 CLASSPATH.DEP: 81
 PATH.DEP: 81
 error log-level option.ETLR: 55
 error messages
 General SQL Server error.CCPA: 90
 No connection to
 specified DB server.... .CCPA: 89
 No data available for review... .CCPA: 91
 No historical associations.... .CCPA: 91
 estimating
 Data Mart sizeDEP: 33
 number of collection units.DEP: 37
 ODS sizeDEP: 29
 ETL AssistantDEP: 19
 JDBC driver forDEP: 19
 setting purge rulesETLR: 88
 ETL Runtime
 database accounts forDEP: 28

scheduling processesDEP: 20
 TAT module.DEP: 118, 119
 Transformation moduleDEP: 118
 tuning performance.REF: 16
 ETL Runtime application objects
 upgradingDEP: 62
 ETL Runtime modules
 aggregation.ETLR: 12, 63
 configuration tracking.ETLR: 13, 73
 purging.ETLR: 13, 85
 tenant alias trackingETLR: 13, 77
 transformationETLR: 12, 59
 ETL Runtime parametersETLR: 40
 ETL Runtime processes.DEP: 85
 ETL Runtime StarterDEP: 96, 119, ETLR: 16
 ETL Service StarterDEP: 20
 Aggregation moduleDEP: 20
 Configuration-Object Tracking module .DEP: 20
 Transformation moduleDEP: 20
 ETL service starter sectionETLR: 16
 ETL_Agg_Only process.ETLR: 17, 21
 etl.properties fileETLR: 92
 ETL_Purging processETLR: 86
 ETL_Tracking process.ETLR: 17
 ETL_Trans_and_Agg process.ETLR: 21
 ETL_Trans_Once processETLR: 20
 ETL_Trans_Only process.ETLR: 17, 20
 event log-level optionETLR: 55
 ExactValue thresholdCCPA: 74
 ExactValueWDuration thresholdCCPA: 74
 examples
 creating filtersREF: 10
 for preparing partial-year reports. . . .REF: 17
 how DMA reports timeREF: 29
 how ETL Runtime reports
 time changesREF: 30
 how ODS reports timeREF: 28
 how Stat Server handles time changes.REF: 27
 inserting fake records
 into OL_CHUNK_LOGREF: 36
 marking records as transferred.REF: 36
 of creating views.REF: 12
 of normalizing statisticsREF: 11
 response fileCCPA: 16
 schedulingETLR: 20
 setting a 30-minute time profileREF: 17
 setting a 5-minute time profileREF: 17
 silent install log fileCCPA: 19
 ExecuteProcess actionCCPA: 79
 expire log optionDS: 36, ETLR: 26
 ExtendedCurrentStatus
 configuration optionCCPA: 22
 extracting data
 from the emergency save filesDS: 67

F

flushing data
 See purging data.
 for referencing basic statisticsCCPA: 54
 FormatAgentInfo
 customizing in RegistryCCPA: 39
 Framework
 architectureDEP: 10

G

GCTISetup.iniDEP: 77, 79
 GraphAxisFontSize
 customizing in RegistryCCPA: 38
 GraphBkColor
 customizing in RegistryCCPA: 38
 GraphTileFontSize
 customizing in RegistryCCPA: 38
 GreaterThanLimit thresholdCCPA: 75
 GreaterThanLimitWDuration threshold .CCPA: 75
 Greenwich Mean TimeREF: 25
 GridFontSize
 customizing in RegistryCCPA: 38

H

Hide actionCCPA: 79
 Hide object
 in action scriptsCCPA: 68
 high availability
 architectureDEP: 41, DS: 14
 Data Mart databaseDEP: 41
 data redundancyDEP: 39
 definitionDS: 12
 deploymentDEP: 43
 ODS databaseDEP: 41
 planning considerationsDEP: 40
 T-ServerDEP: 41
 historical associations
 for custom statisticsCCPA: 43
 troubleshooting problems withCCPA: 91
 historical reporting considerations
 associations for statisticsCCPA: 43
 column namesCCPA: 42
 composite metricsCCPA: 42
 Data MartCCPA: 41
 using the last_N_intervals parameter.CCPA: 43
 HistoricalUpdateFrequency
 customizing in RegistryCCPA: 40
 hot standby modeDEP: 42
 Hyperion Intelligence Server. . DEP: 122, RGA: 32
 Hyperion Performance Suite.RGA: 5
 Hyperion Query Designer DEP: 122, RGA: 5, 6, 17
 Hyperion tools
 prerequisitesDEP: 25

I

IgnoreNewObjectNotifications
 configuration optionCCPA: 34
 Import/Export Utility
 troubleshooting problemsCCPA: 88
 info log-level option.ETLR: 55
 Information Delivery ServicesDEP: 11
 init log-level optionETLR: 55
 initializing
 the Data Mart.DEP: 83
 inserting fake recordsREF: 36
 installing
 CCPulse+ silentlyCCPA: 15
 Data MartDEP: 79
 Data SourcerDEP: 76, 78
 DMADEP: 75
 InstallShield SilentCCPA: 15
 interaction log option.DS: 45, ETLR: 32
 Internet Explorer 6+DEP: 25
 IntervalForCurrentUpdate
 customizing in RegistryCCPA: 40
 invoking
 Solution Reporting WizardDEP: 50
 ISO 8601
 determining Week 1ETLR: 65

J

JDBC driver
 for ETL AssistantDEP: 19
 jdbcurl runtime parameter . . . DEP: 83, ETLR: 46
 JScript languageCCPA: 53

K

keep-startup-file log optionDS: 35, ETLR: 25
 <key name> log optionETLR: 37
 key-value pairREF: 10

L

last_N_intervals
 using this parameterCCPA: 43
 layout templatesDEP: 13, 14, DS: 12
 LessThanLimit thresholdCCPA: 75
 LessThanLimitWDuration threshold . . CCPA: 76
 LessThanSpecifiedLimit threshold . . . CCPA: 75
 Level field.RGA: 25
 levelOfLog runtime parameterETLR: 47
 level-reassign- log optionDS: 49
 level-reassign-disable log optionDS: 49
 licenses
 obtaining a Hyperion licenseRGA: 11

limitations
 number of report layouts **DEP:** 16, **DS:** 13
 listener log-level option **ETLR:** 55
 Local Control Agent **DEP:** 93, 95
 local time **REF:** 25
 locales
 determining calendar weeks **ETLR:** 65
 log configuration
 options **DS:** 33–46, **ETLR:** 23–33
 Log Events **ETLR:** 57
 log events **DS:** 57, **ETLR:** 57
 log file **DS:** 59
 for silent installation. **CCPA:** 18
 sample for silent install. **CCPA:** 19
 silent install result codes **CCPA:** 18
 log output
 for purging the ODS **ETLR:** 88
 log runtime parameter. **ETLR:** 46
 log sections
 log **ETLR:** 23
 log-filter **ETLR:** 36
 log-filter-data **ETLR:** 37
 Log Wizard. **DEP:** 55
 Login ID property. **CCPA:** 56
 loglevel runtime parameter. **ETLR:** 47

M

maintaining
 data integrity **ETLR:** 59
 maintaining consistency
 with ODS/Data Mart **REF:** 34
 Management Layer **DEP:** 10
 management-port configuration option . . **DS:** 25
 max-chunk-size configuration option. . . **DS:** 25
 MaxInteractions capacities item. **CCPA:** 57
 MaxNumberOfAgents
 configuration option **CCPA:** 31
 max-write-attempts configuration option . **DS:** 26
 max-write-reschedule-attempts
 configuration option **DS:** 26
 Media Layer **DEP:** 10
 MediaType capacity item **CCPA:** 57
 MediaTypes
 configuration option **CCPA:** 22, 62
 memory consumption **DEP:** 116
 memory log option **DS:** 39, **ETLR:** 29
 memory-storage-size log option **DS:** 39, **ETLR:** 29
 message_format log option . . . **DS:** 37, **ETLR:** 27
 messagefile log option **DS:** 36, **ETLR:** 26
 metrics
 using composite. **CCPA:** 42
 Microsoft Internet Explorer 6+ **DEP:** 25
 Microsoft SQL Data Mart server **RGA:** 12
 Microsoft SQL Server
 preparations **DEP:** 29

modifying
 Data Sourcer application **DS:** 19
 ODS DAP application **DS:** 27
 monitoring agent activity
 troubleshooting problems **CCPA:** 90
 monitoring object status
 with CCPulse+ **DEP:** 20

N

naming conventions
 for tenant user names **ETLR:** 79
 restrictions **ETLR:** 19
 Navigation Assistant **RGA:** 29
 New File field **RGA:** 25
 new_account log-level option **ETLR:** 56
 new-data-processing
 configuration option **DS:** 26
 normalizing statistics. **REF:** 11
 noSrcData runtime parameter **ETLR:** 48
 NotEqual threshold. **CCPA:** 76
 NotEqualWDuration threshold. **CCPA:** 76
 notification modes
 reset-based **REF:** 39
 time-based **REF:** 39
 NotifyEvery
 customizing in Registry **CCPA:** 40
 numberOfIntervalsToWaitFor_AGG_
 BY_DAY runtime parameter . . . **ETLR:** 48
 numberOfIntervalsToWaitFor_AGG_
 BY_HOUR runtime parameter . **ETLR:** 48
 numberOfIntervalsToWaitFor_AGG_BY_
 MONTH runtime parameter . . . **ETLR:** 48
 numberOfIntervalsToWaitFor_AGG_BY_
 QUARTER runtime parameter . **ETLR:** 48
 numberOfIntervalsToWaitFor_AGG_
 BY_WEEK runtime parameter . **ETLR:** 48
 numberOfIntervalsToWaitFor_AGG_
 BY_YEAR runtime parameter . **ETLR:** 48
 numberOfWriters runtime parameter. . **ETLR:** 49
 numofIntervalsToWaitFor_AGG_
 BY_HOUR runtime parameter . **REF:** 17

O

object groups
 creating **DEP:** 117, 119
 Object Linking and Embedding (OLE)
 Custom Controls
 See OCX.
 objects
 tracking **DEP:** 20
 Objects frame **RGA:** 28
 OCE
 defined. **RGA:** 17
 OCE file. **RGA:** 17

OCE File field RGA: 20
 OCX DEP: 25
 for CCPulse+ DEP: 25
 for DMA
 ODBC data source RGA: 12
 ODBC Data Source Administrator RGA: 12
 ODBC Microsoft SQL Server
 Setup dialog box RGA: 16
 ODS DEP: 16, DS: 13, REF: 15
 estimating size DEP: 29
 tablespaces DEP: 28
 ODS DAP application, modifying DS: 27
 ODS-USER-SCHEMA section DS: 28
 OL_CHUNK_LOG table REF: 35
 Old File field RGA: 25
 OnDemand server RGA: 32
 Operational Data Storage DEP: 13
 See ODS.
 <option name> configuration option . . . DS: 28
 Oracle
 database SID required DEP: 28
 Oracle Corporation DEP: 21
 ORACLE_TablespaceNameForDataIndexes
 runtime parameter ETLR: 49
 ORACLE_TablespaceNameForDataTables
 runtime parameter ETLR: 49
 out of memory DS: 62
 OutOfRange threshold CCPA: 76
 OutOfRangeWDuration threshold CCPA: 77
 overloading
 collection units DEP: 116

P

parameters ETLR: 40
 for database initialization DEP: 28
 partial-period aggregations ETLR: 64
 pass runtime parameter DEP: 83, ETLR: 49, 50
 PATH environment variable DEP: 81
 PCSpeakerAudioAlert action CCPA: 79
 performance
 CCPulse+ historical reporting REF: 23
 CCPulse+ real-time reporting REF: 22
 elements affecting Data Sourcer . . . REF: 20
 elements affecting ETL Runtime . . . REF: 21
 tuning ETL Runtime REF: 16
 performance measurements
 Data Sourcer REF: 20
 ETL Runtime REF: 21
 Stat Server REF: 19
 persistent connection CCPA: 45
 person-presentation-format
 configuration option DS: 27
 Persons object
 Ranks property DEP: 105
 Security property DEP: 105

Pivots field RGA: 30
 PlaceID property CCPA: 56
 predefined format string CCPA: 62, 63
 predefined objects
 in formulas CCPA: 55
 Predefined Statistics window CCPA: 53
 predeployment
 administrator privileges DEP: 23
 CCPulse+ DEP: 25
 component requirements DEP: 24
 configuration wizards prerequisites . . DEP: 23
 Data Mart DEP: 25
 Data Modeling Assistant DEP: 25
 Data Sourcer DEP: 24
 database preparations DEP: 26
 DB2 preparations DEP: 29
 Hyperion tools DEP: 25
 Microsoft SQL Server preparations . . . DEP: 29
 prerequisites
 for starting CCPulse+ DEP: 107
 for starting Data Sourcer DEP: 91
 for starting ETL Assistant DEP: 95
 for starting ETL Runtime DEP: 97
 Presentation Name field RGA: 35
 print-attributes log option DS: 38, ETLR: 28
 priorities
 assigning start-up priorities DEP: 86
 priority configuration option ETLR: 18, 19
 Process field RGA: 29
 process names
 restrictions ETLR: 19
 processes
 creating ETLR: 19
 ETL_Agg_Only ETLR: 17, 21
 ETL_Purging ETLR: 86
 ETL_Tracking ETLR: 17
 ETL_Trans_and_Agg ETLR: 21
 ETL_Trans_Once ETLR: 20
 ETL_Trans_Only ETLR: 17, 20
 naming restrictions ETLR: 19
 Processes configuration option ETLR: 16
 .properties files
 createdb.properties ETLR: 91
 etl.properties ETLR: 92
 location of ETLR: 40
 purge.properties ETLR: 92
 tenants_alias_update.properties . . . ETLR: 81, 93
 using ETLR: 39
 purge log-level option ETLR: 56
 purge rules
 defining DEP: 118
 purge.properties file ETLR: 92
 purging data
 algorithm ETLR: 88
 from ODS DS: 67

Purging module ETLR: 13, 85
 scheduling ETLR: 80, 85
 PURGING_RULES table ETLR: 88

Q

Query Assistant RGA: 27
 Query Only field RGA: 26

R

Ranks property DEP: 105
 raw data size
 calculating DEP: 34
 RDBMS client RGA: 17
 read-src log-level option ETLR: 56
 real-time mode DS: 16
 real-time reporting
 architecture DEP: 21
 rebind-delay log option DS: 53
 recommendations
 for backing up data REF: 33
 reinitAfterExceptionTimeout
 runtime parameter ETLR: 50
 related documents RGA: 8
 removing
 collection units DEP: 119
 Report Generation Assistant DEP: 19
 report layouts DEP: 15, DS: 13
 activating DEP: 15, 18, DS: 17, REF: 39
 creating default layouts DS: 30
 deactivating DEP: 117, DS: 17, REF: 39
 generating automatically DEP: 55
 limitation on number of DEP: 16
 Reporting CD DEP: 23
 Reporting Services DEP: 11
 architecture DEP: 11
 Reporting Templates CD DEP: 23
 requests
 calculating number of DEP: 31
 requirements
 Data Sourcer memory REF: 20
 for Data Sourcer to process statistics REF: 20
 for ETL Runtime to process statistics REF: 21
 Stat Server memory REF: 19
 reset-based notification mode REF: 39
 ResetColor action CCPA: 80
 ResetColor object
 in action scripts CCPA: 68
 resolving statistical parameter
 ambiguities DEP: 72
 response file
 for silent installation CCPA: 16
 playing back CCPA: 16
 sample CCPA: 16

restoration points REF: 35
 restoring databases
 from backup REF: 35
 general information about REF: 33
 inserting fake records REF: 36
 Result object
 in threshold scripts CCPA: 66
 return values
 formatting CCPA: 61
 reverse_password
 runtime parameter ETLR: 50, 80
 RG Assistant windows
 EIS Connect RGA: 20
 EIS Select Layout RGA: 23
 EIS Select Object Type RGA: 22
 EIS Select Tenant RGA: 21
 EIS Select View RGA: 24
 Navigation Assistant RGA: 29
 Query Assistant RGA: 27
 Report Assistant RGA: 31
 RoutableInteractions capacity item CCPA: 57
 RQAssistant.bqy RGA: 17
 run-agg_only.bat ETLR: 92
 run-createdb command DEP: 84
 run-createdb.bat ETLR: 92
 run-purge.bat ETLR: 92
 run-tenants_alias_update.bat script ETLR: 92
 runtime parameters ETLR: 40
 run-trans_and_agg.bat ETLR: 92
 run-trans_once.bat ETLR: 92
 run-trans_only.bat ETLR: 92

S

SafeScriptingMode
 configuration option CCPA: 35
 scaling
 chunk write time DEP: 116
 collection unit overload DEP: 116
 emergency save files DEP: 116
 knowing when to scale up DEP: 116
 memory consumption DEP: 116
 scheduling
 a one-time transformation ETLR: 61
 examples ETLR: 20
 ongoing data transformation ETLR: 60
 tenant-alias tracking ETLR: 80
 the Purging module ETLR: 80, 85
 scheduling processes
 ETL Runtime DEP: 20
 scheyouts ETLR: 54
 scripts
 run-tenants_alias.bat ETLR: 92
 sections
 CustomStatistic CCPA: 22
 Storage CCPA: 23

- sections (continued)
 - UserInterface. CCPA: 27
 - View CCPA: 30
 - Workspace CCPA: 31
- Security property DEP: 105
- segment log option. DS: 35, ETLR: 25
- selecting
 - multiple application objects DEP: 52
- SendE-MailWithCDO action CCPA: 80
- servers
 - disconnecting from CCPulse+ CCPA: 45
- Services Layer DEP: 10, 20
- SetColor action CCPA: 81
- SetColor object
 - in action scripts CCPA: 68
- setFirstDayOfWeek
 - runtime parameter ETLR: 50, 66
- setMinimalDaysInFirstWeek
 - runtime parameter ETLR: 51
- setting
 - alarm conditions. DS: 56
 - purging rules ETLR: 88
 - the PATH environment variable DEP: 81
- Show action CCPA: 81
- Show object
 - in action scripts CCPA: 68
- ShowAgentLoginID
 - configuration option CCPA: 28
- ShowAgentSkills configuration option CCPA: 28
- ShowDurationBeforeStatusName
 - configuration option CCPA: 29
- ShowStatusReasons
 - configuration option CCPA: 28
- SID. DEP: 96
- silent installation
 - command line parameters CCPA: 16
 - defined. CCPA: 15
 - log file CCPA: 18
 - log file result codes CCPA: 18
 - performing remotely CCPA: 18
 - response file CCPA: 16
- single-byte names
 - for databases DEP: 28
- snapshots REF: 35
- Solution Control Server DEP: 95
- sourceDefReReadTimeout
 - runtime parameter ETLR: 51
- spool log option. DS: 39, ETLR: 29
- sql log-level option ETLR: 56
- SQL Server
 - troubleshooting problems with CCPA: 90
- sql-save-path configuration option DS: 27
- sql-stats log-level option ETLR: 56
- srcObjectsRereadTimeout
 - runtime parameter ETLR: 51
- srcRefreshTimeout
 - runtime parameter ETLR: 51, REF: 16
- standard log option. DS: 45, ETLR: 32
- start_agg log-level option ETLR: 56
- start_write_mon log-level option ETLR: 56
- Starter
 - see ETL Runtime Starter
- starter ETLR: 13
- starting CCPulse+
 - from a console window. DEP: 108
 - from the Programs menu DEP: 108
- starting Data Sourcer
 - from the Solution Control Interface DEP: 91
 - on UNIX platforms. DEP: 93
 - on Windows platforms DEP: 92
- starting DMA
 - from the Configuration Manager DEP: 89
- starting ETL Assistant DEP: 96
- starting ETL Runtime Starter
 - as a Windows service DEP: 98
 - from the Solution Control Interface DEP: 97
 - on UNIX platforms. DEP: 99
 - on Windows platforms DEP: 97
- startServer.bat. ETLR: 93
- starttime configuration option ETLR: 18
- StartTime property CCPA: 56, 57, 59
- start-up priorities
 - for solution components DEP: 86
- Stat Server DEP: 13, 17
 - manually configuring for HA DEP: 44
 - memory DEP: 116
 - troubleshooting connection problems. CCPA: 91
 - troubleshooting sudden disconnect CCPA: 90
- Stat Server application objects
 - creating DEP: 71
- StatAction object CCPA: 70
- StatAlias object
 - in threshold scripts CCPA: 66
- state object properties
 - AgentGroupID CCPA: 57
 - AgentID CCPA: 56
 - Capacities. CCPA: 56, 57
 - DNs. CCPA: 56
 - LoginID CCPA: 56
 - PlacelD CCPA: 56
 - StartTime CCPA: 56, 57
 - Status CCPA: 56
 - type. CCPA: 56, 57
- state predefined object CCPA: 60
- statistics
 - double counting REF: 10
 - historical associations for custom CCPA: 43
 - time required to process. REF: 20
- Statistics Alias field. RGA: 26
- StatReasons object
 - in threshold scripts CCPA: 67

Status property **CCPA:** 56, 59
 StatValue object
 in threshold scripts **CCPA:** 66
 stopping CCPulse+ **DEP:** 108
 stopping Data Sourcer
 from the Microsoft
 Management Console **DEP:** 94
 on UNIX **DEP:** 95
 stopping DMA **DEP:** 90
 stopping ETL Assistant **DEP:** 96
 stopping ETL Runtime
 on UNIX platforms **DEP:** 102
 stopping ETL Runtime Starter
 on Windows platforms **DEP:** 101
 Storage section **CCPA:** 23
 storage section
 customizing location of. **CCPA:** 23
 storages
 customizing location of. **CCPA:** 23
 storing
 connection parameters **RGA:** 17
 supported databases **DEP:** 26, **DS:** 13
 supported operating systems **DEP:** 24
 supported RDBMSs **DEP:** 16
 surviveLossOfASource
 runtime parameter **ETLR:** 52
 SwitchID property **CCPA:** 59
 synonyms **ETLR:** 77
 syntax **CCPA:** 54
 system identification number (SID)
 for Oracle **DEP:** 28

T

Table Alias field **RGA:** 26
 tables
 CHUNK_LOG **REF:** 35
 recording time in ODS **REF:** 28
 recording time in the Data Mart **REF:** 31
 tables OL_CHUNK_LOG **REF:** 35
 tablespaces
 for Data Mart **DEP:** 28
 for ODS **DEP:** 28
 TAT module
 ETL Runtime **DEP:** 118, 119
 templates
 column names in **CCPA:** 42
 TemplatesStorageFullPath
 configuration option **CCPA:** 24
 Tenant Alias Tracking module **ETLR:** 13, 77
 assigning tenant user names. **ETLR:** 78
 password algorithm. **ETLR:** 79
 Tenant Alias Update module
 See TAT module.
 tenant synonyms **ETLR:** 77
 tenants
 tracking changes **DEP:** 20
 tenants_alias_update.log **ETLR:** 78

tenants_alias_update.properties file **ETLR:** 81, 93
 tenants_shortcut runtime parameter **ETLR:** 52, 79
 testing
 your data source. **RGA:** 16
 threads
 number required **DEP:** 27
 thread-wait log-level option. **ETLR:** 56
 thresholds
 ActionDelay object **CCPA:** 66
 AgentLoggedIn. **CCPA:** 73
 AgentLoggedOut **CCPA:** 73
 CampaignActivated **CCPA:** 74
 CampaignDeactivated **CCPA:** 74
 ExactValue **CCPA:** 74
 ExactValueWDuration **CCPA:** 74
 example **CCPA:** 72
 GreaterThanLimit **CCPA:** 75
 GreaterThanLimitWDuration **CCPA:** 75
 LessThanLimit **CCPA:** 75
 LessThanLimitWDuration **CCPA:** 76
 LessThanSpecifiedLimit **CCPA:** 75
 NotEqual **CCPA:** 76
 NotEqualWDuration. **CCPA:** 76
 OutOfRange **CCPA:** 76
 OutOfRangeWDuration **CCPA:** 77
 predefined explained **CCPA:** 73
 Result object **CCPA:** 66
 StatAction objects **CCPA:** 70
 StatAlias object **CCPA:** 66
 StatReasons object **CCPA:** 67
 StatValue object **CCPA:** 66
 using with actions **CCPA:** 71
 WithinRange **CCPA:** 77
 WithinRangeOfValues **CCPA:** 77
 WithinRangeWDuration **CCPA:** 77
 ThresholdsStorageFullPath
 configuration option **CCPA:** 24
 time changes
 how Data Sourcer handles **REF:** 28
 how DMA reports **REF:** 29
 how ETL Runtime handles **REF:** 30
 how IS Data Sourcer handles time **REF:** 28
 how Stat Server handles. **REF:** 27
 time conversions
 JRE **REF:** 26
 time intervals
 default **REF:** 16
 time profile
 changing. **DS:** 55
 time profiles **DEP:** 16
 default **DS:** 55
 time zones
 TIME_ZONE table. **REF:** 25
 number of variations **REF:** 25
 time_convert log option **DS:** 37, **ETLR:** 27
 time_format log option. **DS:** 38, **ETLR:** 28
 time-based notification modes. **REF:** 39
 trace log option **DS:** 46, **ETLR:** 33

tracking
 deleted tenants **DS:** 30
 monitored objects **DEP:** 20
 new tenants **DS:** 30
 tenant changes **DEP:** 20
 trans_and_agg mode **REF:** 16
 trans_batch_mode configuration option. **DEP:** 24
 transformation mode. **REF:** 16
 Transformation module . . . **DEP:** 20, **ETLR:** 12, 59
 ETL Runtime **DEP:** 118
 transformation process **ETLR:** 59
 transOnce runtime parameter **ETLR:** 52
 troubleshooting
 agent login issues. **CCPA:** 87
 agent missing from displays **CCPA:** 89
 dropped server connections **DS:** 59
 general SQL server error **CCPA:** 90
 Import/Export Utility disabled. **CCPA:** 88
 missing Stat Server. **CCPA:** 91
 missing statistics **DS:** 61
 monitoring agent activity. **CCPA:** 90
 no DB Server connection **CCPA:** 89
 no historical associations **CCPA:** 91
 out of memory **DS:** 62
 primary data sourcer failure. **DS:** 62
 Stat Server disconnect. **CCPA:** 90
 wizards disabled. **CCPA:** 88
 T-Server **DEP:** 17
 type property **CCPA:** 56, 57, 59

U

uninstalling
 CC Analyzer Data Mart **DEP:** 112
 CC Analyzer Data Modeling Assistant **DEP:** 111
 CC Analyzer Data Sourcer **DEP:** 113
 CCPulse+. **DEP:** 114
 updateAllStats runtime parameter **ETLR:** 52
 updateStatsAfter runtime parameter . . . **ETLR:** 52
 upgrading
 CCPulse+ application objects **DEP:** 68
 Data Modeling Assistant
 application objects **DEP:** 59
 Data Sourcer application objects . . . **DEP:** 54
 ETL Runtime application objects . . . **DEP:** 62
 user names
 TAT-assigned. **ETLR:** 78
 user runtime parameter **DEP:** 83, **ETLR:** 53
 user-defined format string **CCPA:** 62, 63
 UserInterface section **CCPA:** 27
 users
 setting up **DEP:** 105
 UseStatServerVirtualGroups
 configuration option **CCPA:** 35
 using fake records
 for database recovery **REF:** 36

using SCI
 to start Data Sourcer **DEP:** 91
 to start the ETL Runtime Starter **DEP:** 97

V

verbose log option **DS:** 34, **ETLR:** 24
 verbose-request-statistics
 configuration option **DS:** 27
 View section **CCPA:** 30
 virtual queues **REF:** 10

W

wake log-level option **ETLR:** 56
 warning log-level option **ETLR:** 56
 watchdog **ETLR:** 55
 WAVAUDIOAlert action **CCPA:** 82
 week numbers
 how ETL Runtime determines **ETLR:** 66
 weekends. **ETLR:** 70
 weeks
 determining week number. **ETLR:** 65
 wholeWeeks runtime parameter. . . **ETLR:** 53, 66
 Windows Registry
 customizing settings in. **CCPA:** 37
 root path. **CCPA:** 38
 WithinRange threshold **CCPA:** 77
 WithinRangeOfValues threshold **CCPA:** 77
 WithinRangeWDuration threshold . . . **CCPA:** 77
 wizards
 troubleshooting problems with **CCPA:** 88
 Workspace section **CCPA:** 31
 WorkspaceAutoLoad
 configuration option **CCPA:** 36
 WorkspacesStorageFullPath
 configuration option **CCPA:** 24
 write log-level option **ETLR:** 56

X

x-conn-debug-all log option **DS:** 42
 x-conn-debug-api log option **DS:** 42
 x-conn-debug-dns log option. **DS:** 42
 x-conn-debug-security log option **DS:** 42
 x-conn-debug-select log option **DS:** 41
 x-conn-debug-timers log option **DS:** 41
 x-conn-debug-write log option **DS:** 41
 XMLActionsStorageFullPath
 configuration option **CCPA:** 26
 XMLTemplatesStorageFullPath
 configuration option **CCPA:** 26
 XMLThresholdsStorageFullPath
 configuration option **CCPA:** 26
 XMLWorkspacesStorageFullPath
 configuration option **CCPA:** 26