



Call Concentrator 7

Master Index

The information contained herein is proprietary and confidential and cannot be disclosed or duplicated without the prior written consent of Genesys Telecommunications Laboratories, Inc.

Copyright © 1999-2003 Genesys Telecommunications Laboratories, Inc. All rights reserved.

About Genesys

Genesys Telecommunications Laboratories, Inc., a subsidiary of Alcatel, is 100% focused on software for call centers. Genesys recognizes that better interactions drive better business and build company reputations. Customer service solutions from Genesys deliver on this promise for Global 2000 enterprises, government organizations, and telecommunications service providers across 80 countries, directing more than 100 million customer interactions every day. Sophisticated routing and reporting across voice, e-mail, and Web channels ensure that customers are quickly connected to the best available resource—the first time. Genesys offers solutions for customer service, help desks, order desks, collections, outbound telesales and service, and workforce management. Visit www.genesyslab.com for more information.

Each product has its own documentation for online viewing at the Genesys Technical Support website or on the Documentation Library CD, which is available from Genesys upon request. For more information, contact your sales representative.

Notice

Although reasonable effort is made to ensure that the information in this document is complete and accurate at the time of release, Genesys Telecommunications Laboratories, Inc., cannot assume responsibility for any existing errors. Changes and/or corrections to the information contained in this document may be incorporated in future versions.

Your Responsibility for Your System's Security

You are responsible for the security of your system. Product administration to prevent unauthorized use is your responsibility. Your system administrator should read all documents provided with this product to fully understand the features available that reduce your risk of incurring charges for unlicensed use of Genesys products.

Trademarks

Genesys, the Genesys logo, and T-Server are registered trademarks of Genesys Telecommunications Laboratories, Inc. All other trademarks and trade names referred to in this document are the property of other companies.

Technical Support from VARs

If you have purchased support from a value-added reseller (VAR), please contact the VAR for technical support.

Technical Support from Genesys

If you have purchased support directly from Genesys, please contact Genesys Technical Support at the following regional numbers:

Region	Telephone	E-mail
North and Latin America	+888-369-5555 or +506-674-6767	support@genesyslab.com
Europe, Middle East, and Africa	+44 (0) 118 974 7002	support@genesyslab.co.uk
Asia Pacific	+61 7 3368 6868	support@genesyslab.com.au
Japan	+81-3-5649-6821	support@genesyslab.co.jp

Prior to contacting technical support, please refer to the [Genesys Technical Support Guide](#) for complete contact information and procedures.

Ordering and Licensing Information

Complete information on ordering and licensing Genesys products can be found in the [Genesys 7 Licensing Guide](#).

Released by

Genesys Telecommunications Laboratories, Inc.
<http://www.genesyslab.com>

Document Version: 70cc_mindex_6-2003_v1.00



Index

This document provides a master index for the following documents:

- *Call Concentrator 7 Getting Started Guide (GS)*
- *Call Concentrator 7 Deployment Guide (Dep)*
- *Call Concentrator 7 Reference Manual (Ref)*

The abbreviations in parentheses following each document title above are those used to preface the page numbers for which referenced material is found. Information about attached data, for example, can be found in the *Getting Started Guide* on page 12 and the *Reference Manual* on page 20:

attached data.....GS 12, Ref 20

A

AddCallSwitchID Dep 16
Advanced Disconnect Detection Protocol
(ADDP) Dep 13
Agent field
 in AREC table Ref 19, Ref 70
 in EVREF table Ref 17, Ref 53
 in EVREFEX table Ref 18, Ref 56
AgentRecordUserTypes Dep 16
 customize AREC table using Ref 72
AgentStatuses Dep 16, Ref 65
AgentUserFields Dep 17
 customize AREC table using Ref 72
 sample custom script Ref 73
agwtime field
 in GCDR table Ref 12, Ref 23
architecture GS 17
 using LDS GS 19
AREC
 table fields Ref 19
 table overview Ref 18
 vs SCDR table Ref 18
arec configuration option Dep 17
AREC fields Ref 68
AREC table GS 22
 customizing Ref 72
 DN states Ref 66
 fields Ref 68

 using custom states Ref 73
 using multiple custom states Ref 74
attached data GS 12, Ref 20
 call locking with Ref 50
 overview Ref 49
Automatic start-up
 Windows NT Service Dep 51
Auto-Restart option Dep 13
Autorestart option
 Windows NT Service Dep 52
awgtime field
 in GCDR table Dep 46

B

backwards compatibility GS 14
BindThreshold Dep 17
BindTimeout Dep 18
bit mask values
 how to use Ref 46
 in SResult field Ref 45
 integer values Ref 46
Busy
 DN state Ref 66

C

Call Concentrator

- call-based reporting GS 11
- difference from CCPulse+ and CC Analyzer. GS 11
- overview GS 11
- performance test environment. Ref 75
- call locking Ref 50
- Calls field
 - in GCDR table Ref 12, Ref 23
- CallType field
 - in GCDR table Ref 12, Ref 23
- CC_ID Dep 18
- CCON_COUNT Dep 18
- Choose Application window Dep 38
- Choose Destination Location window Dep 39
- Choose License File Location window Dep 40
- configuration objects
 - identified by DBID Ref 10
- configuration options
 - AddCallSwitchID. Dep 16
 - AgentRecordUserTypes Dep 16
 - AgentStatuses Dep 16, Ref 65
 - AgentUserFields Dep 17
 - arec Dep 17
 - BindThreshold Dep 17
 - BindTimeout Dep 18
 - CC_ID Dep 18
 - CCON_COUNT Dep 18
 - CountQueuing Dep 18
 - CustomAgentStatusesOnly Dep 19, Ref 65
 - DataFilter Dep 19
 - DbDumpCommitFrequency Dep 19
 - DbDumpCommitTime Dep 19
 - DbDumpMaxInsertsInProgress Dep 20
 - DbMaxErrorsBeforeShutdown. Dep 20
 - DebugLevel Dep 20
 - DebugStatus Dep 21
 - default value definition. Dep 15
 - DeleteTime Dep 21
 - DeleteTimeFNA Dep 22
 - dependencies definition Dep 15
 - DNRegistrationDelay Dep 22
 - DNRegistrationFactor Dep 23
 - dynamic change definition. Dep 15
 - EnvironmentDBID Dep 23
 - EnvironmentName. Dep 23
 - ESequenceInitFactor Dep 23
 - EventData Dep 24
 - evref Dep 24
 - evrefex. Dep 25
 - gcdr Dep 25
 - GDATAEX Dep 25
 - GlobalData Dep 25
 - HeldAgentStatusesOnly Dep 26, Ref 65
 - IgnoreRingingTime Dep 26
 - IgnoreRoutingPoints. Dep 26
 - IgnoreVRP. Dep 27

- LostRouting Dep 27
- management-port Dep 28
- MediaType Dep 28
- NetworkCallFlow Dep 28
- newtables Dep 29
- RecordTreatment Dep 29
- scdrr Dep 29
- SendBeginTransaction Dep 29
- show-attached-data Dep 30
- SingleCDRLimit Dep 30
- StatesLimit Dep 30
- StatInterval Dep 31
- use_original_connid Dep 32
- UseBinding Dep 31
- UseCfgDNType Dep 32
- valid values definition Dep 15
- Configuration Server GS 18, GS 24
- configuring
 - switch objects GS 24
 - T-Server. GS 24
- ConnID
 - using to link data GS 12
- ConnID field
 - connecting table data Ref 20
 - in AREC table Ref 19, Ref 70
 - in EVREF table Ref 17, Ref 53
 - in EVREFEX table Ref 18, Ref 56
 - in GCDR table. Ref 12, Ref 24
 - in SCDR table. Ref 14, Ref 37
- ConnSwitch field
 - in AREC table Ref 19, Ref 70
- CountQueuing Dep 18
- CustomAgentStatusesOnly Dep 19, Ref 65
- Customer field
 - in GCDR table. Ref 12, Ref 24
- customizing
 - AgentUserFields sample script Ref 73
 - AREC table Ref 72
 - custom table fields Ref 58
 - custom user data tables. Ref 59
 - multiple AREC custom states Ref 74
 - user data tables Ref 58
 - using AgentRecordUserTypes Ref 72
 - using AgentUserFields Ref 72
 - using AREC custom states Ref 73

D

- dart table format Dep 45
- data
 - handling GS 12
 - linking from call segments GS 12
 - sources GS 17
 - types of data collected GS 12
 - using ConnID GS 12
- data representation conventions. Ref 10

- data sources
 - explanations of Ref 11
 - field sources explained Ref 22
- data storage GS 13
- data tables
 - AREC fields Ref 19
 - AREC table overview Ref 18
 - customizing Ref 58
 - EVDATA fields Ref 18
 - EVDATA table overview Ref 17
 - EVREF fields Ref 17
 - EVREF table overview Ref 17
 - EVREFEX fields Ref 18
 - EVREFEX table overview Ref 17
 - formats overview Dep 45
 - GCDR fields Ref 12, Ref 14
 - GCDR table overview Ref 11
 - GDATAEX table overview Ref 16
 - optional fields Dep 46
 - relationships among Ref 20
 - SCDR table overview Ref 14
 - user data tables overview Ref 16
- data tables overview Ref 9
- Database Access Points GS 24
- databases
 - supported GS 15
- DataFilter Dep 19
 - in EVDATA table Ref 54
- DataType field
 - in EVDATA table Ref 18, Ref 55
- DB Server GS 18, GS 24
- DB2 GS 23
- DbDumpCommitFrequency Dep 19
- DbDumpCommitTime Dep 19
- DbDumpMaxInsertsInProgress Dep 20
- DBID
 - in Call Concentrator tables Ref 10
- DbMaxErrorsBeforeShutdown Dep 20
- DebugLevel Dep 20
- DebugStatus Dep 21
- default value
 - defined for configuration options Dep 15
- DeleteTime Dep 21
- DeleteTimeFNA Dep 22
- dependencies
 - defined for configuration options Dep 15
- deployment planning
 - stages GS 21
- described Ref 21
- Destination field
 - in GCDR field Ref 12
 - in GCDR table Ref 24
- DestLabel field
 - in GCDR table Ref 12, Ref 24
- DialTime field
 - in SCDR table Ref 14, Ref 37

- DN field
 - in AREC table Ref 19, Ref 70
 - in EVREF table Ref 17, Ref 53
 - in EVREFEX table Ref 18, Ref 57
 - in GCDR table Ref 12, Ref 25
- DN states
 - Busy Ref 66
 - codes Ref 66
 - Forward Ref 67
 - in AREC table Ref 66
 - Login Ref 66
 - Mail_Login Ref 67
 - OffHook Ref 66
 - OnAnyCall Ref 68
 - OnCall Ref 67
 - OnHold Ref 67
 - OnHold_Retrieved Ref 68
 - Queue_Abandoned Ref 68
 - Queue_Diverted Ref 68
 - Queue_Transferred Ref 68
 - Ready Ref 66
 - Virtual_Queue Ref 67
 - Virtual_Queue_Negative Ref 67
 - Virtual_Queue_Positive Ref 67
 - Virtual_Queue_Transferred Ref 68
 - WaitNextCall Ref 67
- DNIS field
 - in SCDR table Ref 14, Ref 37
- DNRegistrationDelay Dep 22
- DNRegistrationFactor Dep 23
- DNS
 - configuring GS 24
- Dur_Con field
 - in GCDR table Ref 12, Ref 25
- Dur_Inb field
 - in GCDR table Ref 12, Ref 25
- Dur_Int field
 - in GCDR table Ref 12, Ref 25
- Dur_Outb field
 - in GCDR table Ref 12, Ref 25
- Duration field
 - in AREC table Ref 19, Ref 70
 - in GCDR table Ref 12, Ref 26
- dynamic change
 - defined for configuration options Dep 15
- dynamic configuration changes Dep 14

E

- EndTime field
 - in SCDR table Dep 46, Ref 14, Ref 37
- EnvironmentDBID Dep 23
- EnvironmentName Dep 23
- ESequence field
 - connects attached data records. Ref 20
 - in EVDATA table Ref 18, Ref 55

- in EVREF table Ref 17, Ref 54
- in EVREFEX table Ref 18, Ref 57
- ESequence field connecting Ref 20
- ESequenceInitFactor Dep 23
- EVDATA
 - table fields Ref 18
 - table overview Ref 17
- EVDATA table GS 22, Ref 54
 - configuring Ref 54
 - relation to EVREF table Ref 52
- EventData Dep 24
 - in EVDATA table Ref 54
- EventData option
 - configuring Ref 58
 - using multiple options with Ref 59
- EventType field
 - in EVREF table Ref 17, Ref 54
 - in EVREFEX table Ref 18, Ref 57
- EVREF
 - table fields Ref 17
 - table overview Ref 17
- evref configuration option Dep 24
- EVREF table GS 22, Ref 52
 - relation to EVDATA table Ref 52
- EVREFEX
 - table fields Ref 18
 - table overview Ref 17
- evrefex configuration option Dep 25
- EVREFEX table GS 22, Ref 56
 - migrating to Ref 61
 - relation to EVDATA table Ref 56
 - relation to EVREF table Ref 56

F

- F_aban field
 - in SCDR table Ref 14, Ref 38
- F_conf field
 - in SCDR field Ref 38
 - in SCDR table Ref 14
- F_dial field
 - in SCDR table Ref 14, Ref 38
- F_estb field
 - in SCDR table Ref 14, Ref 38
- F_inconf field
 - in SCDR table Ref 14, Ref 38
- F_obsrv field
 - in SCDR table Dep 46, Ref 14, Ref 38
- F_que field
 - in SCDR table Ref 14, Ref 39
- F_rels field
 - in SCDR table Ref 14, Ref 39
- F_retr field
 - in SCDR table Ref 14, Ref 39
- F_ring field
 - in SCDR table Ref 14, Ref 39

- F_tran field
 - in SCDR table Ref 15, Ref 39
- field source
 - defined Ref 22
- First Single Call in Conference call type
 - in SResult field Ref 46
- First Single Call in Transfer call type
 - in SResult field Ref 46
- First_CallID field
 - in GCDR table Ref 12, Ref 26
- First_CDIG field
 - in GCDR table Ref 12, Ref 26
- First_DNIS field
 - in GCDR table Ref 12, Ref 26
- First_PHONE field
 - in GCDR table Ref 12, Ref 26
- First_QUEUE field
 - in GCDR table Ref 12, Ref 27
- FirstTime_Delivery field
 - in GCDR table Ref 12, Ref 27
- FirstTime_Park field
 - in GCDR table Ref 12, Ref 27
- FirstTime_Queue field
 - in GCDR table Ref 12, Ref 28
- FirstTime_Ring field
 - in GCDR table Ref 12, Ref 28
- FirstTime_Rout field
 - in GCDR table Ref 13, Ref 28
- Flag_Abandoned field
 - in GCDR table Ref 13, Ref 28
- Forward
 - DN state Ref 67

G

- GCDR
 - table fields Ref 12, Ref 14
 - table overview Ref 11
- gcdr configuration option Dep 25
- GCDR fields Ref 21
- GCDR table GS 22
- GDATAEX
 - table overview Ref 16
- GDATAEX configuration option Dep 25
- GDATAEX table GS 22, Ref 57
 - configuring Ref 58
- Genesys Framework GS 23
- GlobalData Dep 25
- GlobalData option
 - configuring Ref 59

H

- HAgent field
 - in GCDR table Ref 13, Ref 29

hardware
 in performance tests. [Ref 75](#)
 HeldAgentStatusesOnly [Dep 26](#), [Ref 65](#)
 HResult field
 in GCDR table. [Ref 13](#), [Ref 29](#)

I

IgnoreRingingTime [Dep 26](#)
 IgnoreRoutingPoints [Dep 26](#)
 IgnoreVRP [Dep 27](#)
 Inbound call type
 in SResult field [Ref 46](#)
 Informix. [GS 23](#)
 installation
 service.cfg file [Dep 43](#)
 installing
 as Windows NT Service. [Dep 41](#)
 on Unix [Dep 43](#)
 on Windows [Dep 35](#)
 overview [Dep 35](#)
 interaction defined [GS 12](#)
 Internal call type
 in SResult field [Ref 46](#)
 interoperability [GS 14](#)

K

KeyName field
 in EVDATA table. [Ref 18](#), [Ref 55](#)

L

LDS
 using AREC tables with [GS 19](#)
 License Manager. [GS 23](#)
 licensing [GS 15](#)
 load balancing
 architecture [GS 19](#)
 LocAgent
 field
 in SCDR table [Ref 40](#)
 LocAgent field
 in SCDR table [Ref 15](#)
 Local Control Agent [GS 18](#), [Dep 50](#)
 installing [Dep 43](#)
 Local Hostname window [Dep 37](#)
 LocLQ field
 in SCDR table [Dep 46](#), [Ref 15](#), [Ref 40](#)
 LocQueue field
 in SCDR table [Ref 15](#), [Ref 40](#)
 LocSwitch field
 in SCDR table [Ref 15](#), [Ref 40](#)
 LocTrunk field

in SCDR table. [Ref 15](#), [Ref 41](#)
 Login
 DN state. [Ref 66](#)
 Login field
 in AREC table. [Ref 19](#), [Ref 70](#)
 LostRouting [Dep 27](#)

M

Mail_Login
 DN state. [Ref 67](#)
 Management Layer [GS 18](#)
 management-port [Dep 28](#)
 Manual start-up
 Windows NT Service [Dep 51](#)
 MediaType [Dep 28](#)
 MediaType field
 in GCDR table. [Dep 46](#), [Ref 13](#), [Ref 29](#)
 Microsoft SQL
 performance tests. [Ref 75](#)
 Microsoft SQL Server [GS 23](#)
 migrating
 to EVREFEX table [Ref 61](#)
 migration scripts [Dep 47](#)

N

N_conf field
 in GCDR table. [Ref 13](#), [Ref 29](#)
 N_Cons field
 in GCDR table. [Ref 13](#), [Ref 29](#)
 N_Inb field
 in GCDR table. [Ref 13](#), [Ref 29](#)
 N_Int field
 in GCDR table. [Ref 13](#), [Ref 30](#)
 N_Outb field
 in GCDR table. [Ref 13](#), [Ref 30](#)
 N_park field
 in GCDR table. [Ref 13](#), [Ref 30](#)
 N_queue field
 in GCDR table. [Ref 13](#), [Ref 30](#)
 N_trans field
 in GCDR table. [Ref 13](#), [Ref 30](#)
 NetworkCallFlow [Dep 28](#)
 new features [GS 13](#)
 new table format [Dep 45](#)
 newtables [Dep 29](#)

O

OffHook
 DN state. [Ref 66](#)
 OnAnyCall
 DN state. [Ref 68](#)

OnCall
 DN state Ref 67
 OnHold
 DN state Ref 67
 OnHold_Retrieved
 DN state Ref 68
 Oracle GS 23
 performance tests Ref 76
 Outbound call type
 in SResult field Ref 46

P

ParkTime field
 in SCDR table Ref 15, Ref 41
 performance tests Ref 75
 on Microsoft SQL Ref 75
 on Oracle Ref 76
 on Solaris Ref 75, Ref 76
 test environments Ref 75
 Phone field
 in GCDR table Dep 47
 in SCDR table Ref 15, Ref 41
 Place field
 in AREC table Ref 19, Ref 71
 Project field
 in GCDR table Ref 13, Ref 31

Q

Queue_Abandoned
 DN state Ref 68
 Queue_Diverted
 DN state Ref 68
 Queue_Transferred
 DN state Ref 68

R

Ready
 DN state Ref 66
 RecordTreatment. Dep 29
 reporting
 call-based GS 11
 planning strategies GS 21
 RingTime field
 in SCDR table Ref 15, Ref 41
 RmtAgent field
 in SCDR table Ref 15, Ref 41
 RmtDN field
 in SCDR table Ref 15
 RmtLQ field
 in SCDR table Dep 46, Ref 15, Ref 42
 RmtQueue field

in SCDR table Ref 15, Ref 42
 RmtSwitch field
 in SCDR table Ref 15, Ref 42
 RmtTrunk field
 in SCDR table Ref 15, Ref 42
 RoutTime field
 in SCDR table Ref 15, Ref 43

S

SCallID field
 in AREC table Ref 19, Ref 71
 in SCDR table Ref 15, Ref 43
 SCallSwitch field
 in AREC table Ref 19, Ref 71
 SCallType field
 in SCDR table Ref 15, Ref 43
 SCDR
 table overview Ref 14
 vs AREC table Ref 18
 scdr configuration option. Dep 29
 SCDR fields Ref 37
 SCDR table GS 22
 SCI
 starting Call Concentrator from Dep 49
 stopping using Dep 52
 scripts
 changing field data type using Dep 47
 editing Dep 46
 for data migration Dep 47
 overview Dep 45
 to set table format. Dep 45
 SCSequence field
 connecting table data Ref 20
 in EVREF table Ref 17, Ref 54
 in EVREFEX table Ref 18, Ref 57
 in SCDR table Ref 15, Ref 43
 SDuration field
 in SCDR table Ref 15, Ref 44
 Select Program Folder window Dep 39
 SendBeginTransaction. Dep 29
 Sequence field
 in AREC table Ref 19, Ref 71
 Server Configuration window Dep 36
 Service Configuration Window. Dep 41
 service.cfg file Dep 43
 Setup Complete window Dep 42
 show-attached-data Dep 30
 SHResult field
 in SCDR table Ref 15, Ref 44
 Shutdown time Dep 13
 SingleCDRLimit Dep 30
 Solaris
 performance tests Ref 75, Ref 76
 Soluton Control Interface
 see SCI Dep 49

SProject field
 in SCDR table Ref 16, Ref 44
 SQL Ref 75
 SResult Bit Mask Values Ref 45
 SResult field
 in SCDR table Ref 16, Ref 44
 SResult Integer Values Ref 46
 SSwitchCallID field
 in SCDR table Dep 46, Ref 15, Ref 44
 starting
 as Windows NT Service Dep 51
 from console window Dep 50
 from Programs menu Dep 50
 on Unix Dep 51
 on Windows Dep 49
 using desktop icon Dep 51
 using SCI Dep 49
 State Enable box Dep 12
 StatesLimit Dep 30
 StatInterval Dep 31
 Status field
 in AREC table Ref 19, Ref 71
 stopping
 as Windows NT Service Dep 52
 from a console window Dep 52
 on Unix Dep 53
 on Windows Dep 52
 with SCI Dep 52
 StParkTime field
 in GCDR table Ref 13, Ref 31
 in SCDR table Ref 16
 StQueueTime field
 in GCDR table Ref 13, Ref 31
 in SCDR table Ref 16, Ref 46
 StRoutTime field
 in GCDR table Ref 13, Ref 31
 in SCDR table Ref 16, Ref 46
 StTime field
 in AREC table Ref 71
 in GCDR table Ref 13, Ref 31
 in SCDR table Ref 16, Ref 46
 supported databases GS 15
 Switch field
 in GCDR table Ref 13, Ref 32
 switch objects
 configuring GS 24
 Sybase GS 23

T

table data
 AREC vs SCDR Ref 18
 table fields
 AREC table Ref 68
 changing data types Dep 47
 customizing Ref 58

tables
 customizing user data Ref 59
 Tenants tab Dep 12
 T-Events GS 12
 Time field
 in EVREF table Ref 17, Ref 54
 in EVREFEX table Ref 18, Ref 57
 time measurement
 for Call Concentrator data Ref 10
 use of UTC Ref 10
 time zones
 avoiding issues with Ref 10
 Timeln_conf field
 in GCDR table Ref 13, Ref 32
 Timeln_park field
 in GCDR table Ref 13, Ref 32
 Timeln_queue field
 in GCDR table Ref 13, Ref 32
 Timeln_trans field
 in GCDR table Ref 13, Ref 32
 Tot_DialTime field
 in GCDR table Ref 14, Ref 33
 Tot_RingTime field
 in GCDR table Ref 14, Ref 33
 T-Server GS 18, GS 24
 configuring GS 24

U

uninstalling
 on Unix Dep 56
 on Windows Dep 55
 unInstallShield wizard Dep 55
 use_original_connid Dep 32
 UseBinding Dep 31
 UseCfgDNType Dep 32
 user data
 customizing tables Ref 58, Ref 59
 overview Ref 49
 User Information window Dep 36

V

ValChar field
 in EVDATA table Ref 18, Ref 56
 valid values
 defined for configuration options Dep 15
 Vallnt field
 in EVDATA table Ref 18, Ref 55
 Virtual_Queue
 DN state Ref 67
 Virtual_Queue_Negative
 DN state Ref 67
 Virtual_Queue_Positive
 DN state Ref 67

Virtual_Queue_Transferred
DN state [.Ref 68](#)

W

WaitNextCall
DN state [.Ref 67](#)

Windows NT Service
Automatic start up [Dep 51](#)
Autorestart option [Dep 52](#)
install as [Dep 41](#)
Manual start up [Dep 51](#)
starting as [Dep 51](#)
stopping as [Dep 52](#)

WtTime field
in SCDR table [Ref 16](#), [Ref 47](#)